This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`



Q. 143. 8. 1

E. BIBL. RADCL.

C

1692 F. 236

58

Pharmacopœia Pauperum:

OR, THE

Hoſpital DISPENSATORY.

Containing the

MEDICINES

USED IN THE

Hoſpitals *of* LONDON,

By the Direction of

Dr. COATSWORTH, *Dr.* MEAD,
Dr. CADE, *Dr.* WADSWORTH,
Dr. HALES, *&c.*

WITH

Suitable INSTRUCTIONS for their Common Uſe.

Homo, qui erranti comiter monſtrat viam, quaſi lumen de ſuo lumine accendat, facit: Nihilominus ipſi lucet, cum illi accenderit.

Ennius *apud* Tullium.

LONDON:

Printed for T. WARNER, at the *Black-Boy* in *Pater-Noſter-Row*. 1718.

THE

PREFACE.

IT *may ſeem ſtrange to publiſh any thing of this kind, after a New* Diſpenſatory *that has drawn together all that is valuable in* Medicine; *but this* Manual *is ventured into the World, notwithſtanding ſuch Diſadvantage, becauſe it contains the Preſcriptions of the moſt eminent Phyſicians in our Nation, which were contrived on purpoſe for the Poorer Sort of People; and are at preſent conſtantly uſed in the* Hoſpitals *of* London: *And therefore it is a Collection of the*

moſt cheap *and moſt* efficacious M
cines, *that the whole Art does ſup*

To render it the more Uſeful, her
annexed to every Preſcription, Expl
tions of their Virtues and Uſes, afte
Manner of Dr. QUINCY, *in his*
Diſpenſatory.

The Phyſicians *whoſe Names*
bears in the Title, *it is hoped, wi*
in the leaſt take it amiſs, that
they have been at the Pains to con
for the Uſe of thoſe particularly
their Care, is in this manner made
extenſive for a Common Good.

Pharmacopœia Pauperum:

OR, THE

HOSPITAL DISPENSATORY.

THE Waters moſt commonly in Uſe in the publick Hoſpitals, are the

Aqua Lactis Alex.
—— *Ceraſor. Nigr.*
—— *Cinnam. fort.*
—— *Hord.*
—— *Menthæ.*
—— *Pulegii.*
—— *Rutæ.*
—— *Epidemiæ.*
—— *Bryoniæ Comp.*
—— *Stephani.*
—— *Theriacalis.*

And all made exactly as directed by the *London Diſpenſatory*, and uſed for the ſame Purpoſes.

Aqua Antiphthiſica.

℞ *Fol. Symphit. Maj.*
Polygonat.
Plantag.
Pimpinel. ā M. iv.
Rad. Liquorit. ℥ij.
Infundantur frigide ♆ 2 *Dies in Aq. Calcis Cong.* ij.

A Water againſt Conſumptions.

Take Leaves of Comfrey the Greater, *Solomon*'s Seal, Plantane, and Pimpinel, each 4 Hands full, Liquorice-Root 2 Ounces; infuſe them cold for 12 Days in 2 Gallons of Lime-water.

This is very eaſily made, and is much better than if it were to be diſtilled. It is of excellent Uſe in ſuch Conſumptions as proceed from a ſharp thin Blood; eſpecially in thoſe who have been injured by a Venereal Taint, or have any Hereditary Remains of ſcrophulous or leprous Humours. It is ordered to be drank for ſome time together, the Quantity of a Quart or two in a Day. It is alſo directed to waſh foul Ulcers, and does good Service in ſuch Caſes.

Aqua

Aqua Liberans.

℞ *Raſſur. Lig. Saſſafr. ſine Cortice* ℥ij.
Lig. Guiac. cum Cortice ℥j.
Rad. Glycyrrh. ℥iij.
Sem. Coriand. cont. ℥vj.
Infund. frigidè in Aq. Calcis. Cong. j. ℔ 2 *aut* 3 *Dies.*

Take of the Shavings of Saſſafras without the Bark 2 Ounces, of Guiacum with the Bark 1 Ounce, Liquorice-Root 3 Ounces, Coriander-Seeds bruiſed 6 Drams; infuſe them cold in one Gallon of Lime-water for 2 or 3 Days.

This is yet more drying than the former, and is therefore good in all Caſes that require Abſorbents and Sweetners; eſpecially in all Venereal Affections, after Salivation. It will aſſiſt much likewiſe in the Itch, and all Foulneſſes which lodge upon the Skin. It may be drank at Diſcretion, and ought to be uſed for ſome time together.

Aqua

Aqua Limacum. D. *M.*

℞ *Limac. Hortenſ. depur. & contuſ. Cong.* vj.
Lumbric. depur. & contuſ. Cong. iij.
Fol. Abſynth. vulg.
Heder. ter.
Card. Ben. ā ℔iſs.
Pulegii,
Bac. Juniper,
Sem. Fœnic. dul.
Aniſi ā ℔ſs.
Caryoph.
Cubeb. contuſ. ā ℥iij.
Sp. Vini, &
Aq. Fontan. ā *Cong.* viij.
Macer. ℔ *Hor.* 24. *& diſtill. in Alembico.*

Dr. M——*'s Snail-Water.*

Take Garden-Snails cleanſed and bruiſed 6 Gallons, Earth-worms waſhed and bruiſed 3 Gallons, of common Wormwood, Ground-Ivy, and Carduus, each one Pound and half, Penniroyal, Juniper-Berries, Fennel-ſeeds, Aniſeeds, each half a Pound, Cloves and Cubebs bruiſed, each 3 Ounces, Spirit of Wine, and Spring-water, of each 8 Gallons; digeſt them together for the Space of 24 Hours, and then draw it off in a common Alembick.

This

This is admirably well contrived both for Cheapneſs and Efficacy; and for Perſons whoſe Circumſtances and Manner of living have not habituated them to any Delicacies, it is as good a Snail-water as can be made; and with the two former, are the chief that are uſed in the Hoſpitals. And as they are moſtly given in Conſumptions contracted from vicious Practices, and Venereal Contagions, this is the conſtant Drink of thoſe who are under the like Weakneſſes and Decays from a *malum ſtamen*, and require principally Nouriſhment from ſuch Subſtances, as will, with the leaſt Trouble poſſible, be aſſimulated for that purpoſe.

Aqua ad Strumas. D. *M.*

℞ *Rad. Oxylapath.* ℔ſs.
Rhabarb. Monach. ℥iv.
Agaric. ℥ij.
Liquorit.
Sem. Fanicul. dul.
Coriand. ā ℥ſs.
Coq. in Aq. fontan. q. ſ. colat. adde Antimon. Diaph. illoti ℥ij.

D. M——*'s Water for the Evil.*

Take ſharp-pointed Dock-Roots half a Pound, Monks Rhubarb 4 Ounces, Agaric

℞

2 Ounces, Liquorice, Sweet-Fennel, and Coriander-ſeeds, each half an Ounce; boil in a ſufficient Quantity of Spring Water, and to the ſtrained Liquor add 2 Ounces of Diaphoretic Antimony.

This is much uſed in ſchrophulous Caſes, as a Diet-Drink, and has been found of good Service; but at the firſt, ſometimes, the *Diaphoretic Antimony* being unwaſhed, it proves Emetick, tho' without any Inconveniency upon that account; the Points of the Medicine being left groſs enough to velicate and draw the Stomach into ſuch Contractions. This alſo avails conſiderably in Venereal and Leprous Impurities. Its Operation is principally expected from its encreaſing of natural Perſpiration, and gently ſcouring all the ſecretory Paſſages.

Aqua Theriacalis.

℞ *Suc. Putam Virid. Nucum Jugland.* ℔xij.
Suc. Rutæ ℔ix.
Cardui Ben.
Calend.
Meliſſ. ā ℔vj.
Rad. recent. Petaſitidis ℔ivſs.
Baxdan. ℔iij.
Angel.
Imperat. ā ℔ſs.
Scordii Mxij.

Theri-

Theriac. Londinens. ℔ss.
Philon. Rom. ℔j.
Spirit. Vin. com. ℔xxx. ℥vj.
Misc. & distill. S. A.

Treacle Water.

Take of the Juice of green Walnuts 12 Pound, of Rue 9 Pound, of Carduus, Marigolds, and Balm, each 6 Pound, of Butter-Bur-Root fresh gathered, 4 Pound and half, Bur-dock 3 Pound, Angelico and Masterwort each one Pound and half, of Scordium 12 Hands-full, *London*-Treacle one Pound and half, Philon. Perfic. one Pound, Spirit of Wine 30 Pints and 6 Ounces; mix and distill according to Art.

This is a very good Water, and warmer than the *College*-Treacle-water. It is given as a Cordial in any Fainting or Gripes, especially in those which frequently happen in raising a Salivation.

In the *Lock* they generally salivate by Unction, and it has been observed, that the *Lues*, and many Cases which would not give way to a Salivation raised by inward means, have been overcome by this; tho' many are of Opinion, that the external Method is most dangerous.

Alcohol Chalybis. D. *M.*

℞ *Limatur. Chalybis puriſſ.* ℥iij.
Sachar. Cand. rub. ℥ij.
Terentur ſimùl in Alcohol.

Dr. M——*'s Powder of Steel.*

Take of the fineſt Steel ½ Ounces, r
Sugar-candy 2 Ounces; let them be rec
ced together into a fine Powder.

This is a very plain, eaſy, and moſt r
tural Preparation of Steel, and is rende
ſit thereby to be taken either in Subſtan
or to communicate its Virtues to any Liq
by Infuſion. It comes neareſt to the co
mon Preparation of Steel with Tartar; a
has the ſame Qualities of a Deobſtrue
Its uſual Doſe is from ℈i, to ℈ſs, in a *Cl*
roſis, and all menſtrual Obſtructions. It
likewiſe a good Medicine in all Hypoch
driacal Affections; but as the Cure of ſi
Patients conſiſts generally more in their w
of living, than in Medicine, an Hoſpi
cares not for the Admiſſion of ſuch In
lids.

Balſam. Lucatelli.

℞ *Ol. Olivar. opt.*
Terebinth. Ven. ā ℔iv.
Ceræ flavæ tenuiter inciſæ ℔ijſs.
Liqueſcant ſimul addendo ſang. Draconis ſubtiliſſ. pulv. ℥ij. *miſc. ut f. Balſamum rubicundiſſimum.*

Lucatellus's *Balſam.*

Take of fine Oyl of Olives and *Venice*-Turpentine each 4 Pound, yellow Wax cut thin 2 Pound and half; melt them together, and add Dragons-blood in fine Powder 2 Ounces, and mix it into a red Balſam.

This is much better than that of the *College* Diſpenſatory, tho' much cheaper and eaſier made. The Dragons-blood gives a much better Colour than the Saunders, which is in the other; and if either have any Virtues ſuitable to the whole, this bids the faireſt; and will alſo much better mix therewith, becauſe it in a manner diſſolves in the Oyl. It is uſed both inwardly, in all Suſpicions of internal Ulcerations, and externally as a Digeſtive.

Balſam. Sulphur. Terebinth. is much uſed in St. *Thomas*'s Hoſpital, as it is directed to be made in *Bate*'s Diſpenſatory, both inter-

nally, and in Dreſſings for the ſame purpoſe, as it is directed by the common Practice.

Balſam. Viride.

℞ *Ol. Lin.* ℔iv.
Æris Virid. purific. & pulver. ℔j.
Bulliant ſimul ad diſſolutionem Ærugin. & f. Balſ. viride.

The Green Balſam.

Take Linſeed Oyl 4 Pound, of the fineſt Verdigreaſe powder'd 1 Pound; boil them together till the Verdigreaſe is diſſolved, and it will incorporate together into a green Balſam.

This is of great uſe in all contuſed and lacerated Wounds, and likewiſe in Gunſhot Wounds, there is nothing that exceeds it.

Bolus Alexiter.

℞ *Theriac. Androm.*
Pulv. Alexit. ā ℈j.
Syr. Caryoph. q. ſ. ut f. Bol.

An Alexiterial Bole.

Take *Venice*-Treacle, and of the Alexiterial Powder, each one Scruple, Syrup of Cloves a ſufficient Quantity to make into a Bole.

This is frequently directed to be taken, in order to compoſe and breath a Perſon after Amputation, or any other Operation which is attended with extreme Pain, and threatens a Fever; and is repeated as often as occaſion requires: drinking after it proper Juleps.

Bolus cum Calomel.

℞ *Calomel. opt. levigat.*
Conſ. Roſ. rub. ā ℈j.
Miſc. f. Bolus.

A Bole with Calomel.

Take Calomel well levigated one Scruple, Conſerve of Roſes half a Scuple; mix into a Bole.

This is the common Bole for Salivation, and is repeated as the Symptoms require. It is alſo given frequently over Night, to be carry'd off by the common Catharticks the

next Morning, in any Caſes th
brisk Purging.

Bolus Emeticus:

℞ *Antimonii reſuſcitat. Batean.*
Conſ. Roſ. rub. q. ſ. f. Bol.

An Emetick Bole.

Take of revived Antimony, a
Bate, 7 Grains, Conſerve of r
ſufficient Quantity to make it in

In very groſs and robuſt C
this is given preparatory to any
Alteratives; for ſometimes it
with great Violence, inſomuch a
it unſafe to infirm and weakly Pe

Bolus Emeticus Mercuria

℞ *Turpeth. Min. opt. levig. Gr.*
Conſ. Roſ. rub. q. ſ. f. Bol.

An Emetick Mercurial B

Take of Turbith Mineral wel
7 Grains, Conſerve of red Roſes
Quantity to make into a Bole.

This is as rough as the former, but is generally made choice of in Venereal and Leprous Caſes, preparatory to Salivation; and is likewiſe ſometimes directed where no ſuch Courſe is intended, particularly in foul Ulcers of long ſtanding; the cleanſing and laſting Cure of which its Operation does much forward: But this is too churliſh to be given but to athletick Conſtitutions.

Bolus Hydropicus.

℞ *Gambog. pulv. Gr.* xv.
Cremor. Tartari ℈ſs.
Syr. e Spin. C. q. ſ. f. Bolus.

An Hydropick Bole.

Take Gamboge 15 Grains, Cream of Tartar half a Scruple, Syrup of Buckthorn a ſufficient Quantity to make them into a Bole.

In a Dropſie, or a flaccid moiſt Habit tending thereunto, this is a very common Purge, and a very good one. The Gamboge it ſelf is indeed very rough, and works ſometimes with great Naufeouſneſs, Vomiting and Griping; but the Tartar much corrects it, by dividing its viſcid Parts, and making them leſs ſenſibly velicate the Coats of the Stomach and Bowels, as all reſinous

Purges are apt to do. It has ſometimes alſo mixed with it a Drop or two of Oyl of Aniſeed, or any other of the carminitive Oyls, to render it leſs griping. This thoroughly purges off watry and viſcous Humours, and greatly promotes the Diſcharge by Urine. But to render the Cure of a Dropſie laſting, there is a Neceſſity afterwards of reſtoring and ſtrengthning the Tone of the Parts by proper Medicines for ſuch purpoſes; elſe they will ſoon fill again with as much Water as this has carry'd away.

Bolus Mercurialis Purgat.

℞ *Elect. Lenitiv.* ℔ſs.
Pulv. Rad. Jallapi ℥jſs.
Scammon. ℥vj.
Calomel ℥ſs.
Syr. Roſ. ſolutiv. q. ſ. ad Boli conſiſtentiam.
Doſ. ℥iij. *mane.*

A Purging Mercurial Bole.

Take of Lenitive Electuary half a Pound, Jallap Root powdered one Ounce and half, Scammony 6 Drams, Calomel half an Ounce, the ſolutive Syrup of Roſes a ſufficient Quantity to make them into the Conſiſtence of a Bole. The Doſe is 3 Drams in a Morning.

This

This is a ſure Purge, and will not fail working in the ſtrongeſt Conſtitutions. It is adviſable in all Caſes whatſoever, as want ſuch Evacuation. It muſt be made pretty ſtiff, elſe the Calomel will be apt to fall by its great weight, whereby it will be unequally mixed; and in hot Weather alſo it will be apt to fret and ſpoil, if made up too thin.

Bolus ad Diarrhœam.

℞ *Rhabarb. opt. pulv.* ℥ſs.
Confect. Fracaſtorii ſine Melle, q. ſ. ut f. Bolus.

A Bole againſt a Looſeneſs.

Take Powder of the fineſt Rhubarb half a Dram, Diaſcordium without Honey, a ſufficient Quantity to make it into a Bole.

This is to be given in any Fluxes of the Belly that require to be ſtopped, as often as the Urgency of the Symptoms indicate; but it is generally directed only at Night going to Bed; for the Opiate confines the Rhubarb from immediate Operation, and what Effect that has, is only juſt to cleanſe off ſo much Choler, or irritating Humours, as it finds already ſeparated by the Inteſtinal Glands; and it then ſo aſtringes them, as to pre-

prevent any further Flux of that kind upon them. This Bolus is alſo frequently given to compoſe and reſettle the Bowels, after the Operation of ſuch ſtrong Catharticks, as cannot well be born without ſuch a Reſtorative.

Bolus Mercurialis cum Gambog.

℞ *Elect. Lenitiv.* ℔j.
Calomelan.
Gambog. pul. ā ʒij. ʒj.
Syr. e Spin. C. q. ſ. ad Boli conſiſtentiam;
Addendo Ol. Aniſ. ʒjſs. *Doſis* ʒj.

A Mercurial Bole with Gamboge.

Take Lenitive Electuary 1 Pound, Calomel and Gamboge in fine Powder each 2 Ounces and 1 Dram, Syrup of Buckthorn a ſufficient Quantity to make them into the Conſiſtence of a Bole; to which add Oyl of Aniſeeds 1 Dram and half. The Doſe is 2 Drams.

This is ſtronger than the foregoing with the Jallap; and is directed accordingly where the moſt powerful Catharticks are required, and can be born without Inconveniency.

Bolus Diureticus. D. *M.*

℞ *Scillæ* ℥j.
Hellenii pulv. ℥ſs.
Ol. Aniſ. Chym. ℥ſs.
Doſis ℥j. *bis in die.*

Dr. M——*'s Diuretick Bole.*

Take Squills 1 Ounce, Powder of Elicampane half an Ounce, Oyl of Aniſeed half a Dram. The Doſe is one Dram twice in a Day.

In Aſthmatick and Dropſical Habits, this is an admirable Medicine; for it greatly ſcours away thoſe Viſcidities which ſtuff the Veſſels, and hinder due Circulation, and detaches them off by the Kidnies. But its Uſe is to be comply'd with for ſome time together; and if ſo continued, the moſt obſtinate Obſtructions of the ſmall Veſſels, that cauſe both Dropſies and Aſthma's, will give way to its Efficacy.

Cata-

Cataplaſma pro Bubone Peſtilen. & Carbunculo.

℞ *Cœpar. Maj.*
Allii, ā ℥iij.
Pulv. Cantharid. ℈j.
Sem. Senapios pulv.
Theriac. Lond.
Mithrid.
Fimi Columbini, ā ℥j.
Ol. Scorpionum q. ſ. ut f. Cataplaſma debit. conſiſtent.

A Cataplaſm for Bubo's or Carbuncles.

Take of the larger Onions, and of Garlick, each 3 Ounces, Powder of Spaniſh Flies 1 Dram, Muſtard-ſeed powder'd, *London* Treacle, Mithridate, and Pigeons-Dung, each 1 Ounce, Oyl of Scorpions a ſufficient Quantity to make into a Poultus.

The Caſes this is intended for, happen not frequently in the Hoſpitals: But when any Humours are critically diſcharged in malignant Fevers, which are ſometimes attended with very ſurprizing Symptoms, this is a good Medicine both to help on their Diſcharge, and defend the Part againſt Mortifications and Gangrenes, which frequently happen in ſuch Caſes. In confirm'd Dropſies

Dropſies likewiſe, where the lower Parts have received more Water than can be carried off by the common Evacuations, and the Legs are forced to be ſcarify'd, this is of good Service both to prevent Mortification, and forward the Drain of ſuch Humours; inſomuch that the Tone of a Part is ſometimes retrieved by this means, which would otherwiſe from a partial Mortification, induce a total one.

Cataplaſma Iſchiad. D. *W.*

℞ *Sem. Sinap.* ℔ſs.
Pip. alb.
Rad. ZZ. ā ℥j.
Miſc. f. pulvis, Vaſe vitreo optime clauſo ſervat. qui tempore uſus form. in conſiſtentiam Cataplaſm. cum Oxymel. ſimpl. q. ſ.

Dr. W——*'s Cataplaſm for the Hip-Gout.*

Take Muſtard-ſeed powder'd half a Pound, white Pepper, and Ginger, each 1 Ounce; mix together in a fine Powder, and keep in a Glaſs cloſe ſtopped, and juſt at the time of uſing, make into a Poultus, with a ſufficient Quantity of Oxymel of Squils.

This is a very warm Application, and will therefore ſometimes help to break away thoſe Humours which fix upon the Joints, occa-

occaſioning there intolerable Pains, and which will not give way to any other means. It is to be applyed as often as the Symptoms and Urgency of Pain require, and the Part can bear; for it is ſo hot as frequently to veſicate the Skin; but it then generally has the beſt Effect, the Pain moſt commonly abating upon drawing out by Perſpiration ſuch Humours as will raiſe a Dew upon the Skin, and ſometimes lift it up into little Bliſters; but in ſuch Caſes all the Harm is the Trouble.

Cataplaſma pro Inflammatione.

℞ *Farinæ avenac.* ℔ſſ.
Herb. urtic. Mix.
Ceræ flavæ, ℔jſs.
Miſce ſuper ignem.

A Cataplaſm for an Inflammation.

Take of Oatmeal half a Pound, of Nettles 4 Handsful, yellow Wax one Pound and half; mix them together over the Fire.

This is directed for eryſipelous Tumors, and ordinary Inflammations; but is not frequently call'd for.

Cereciſia

Cereviſia Hydropica. D. *W.*

℞ *Summit. Geniſt.*
Sem. Sinap. ā ℔j.
Rad. Irrid. noſtr.
Lapath. acut. ā ℥xij.
Cort. Winteran.
Sambuci.
Sem. Dauci ſylv.
Baccar. Juniperi, ā ℔jſs.
Miſc. f. ſacculus ℈ *Cong.* xij. *Cereviſiæ fort. non lupulat. Doſ.* ℔ſs. *bis vel ter in die.*

Dr. W——*'s Dyet-drink for a Dropſie.*

Take of Broom-tops, and Muſtard-ſeed, each 1 Pound, of the Roots of *Engliſh* Orrice, and ſharp-pointed Dock, each 12 Ounces, *Winter*'s Bark, Elder-Bark, Seeds of wild Carrot, and Juniper-berries, each 1 Pound and half; put them all together into a Bag, to be ſteep'd in 12 Gallons of unhopp'd Ale, while it works; half a Pint to be drank 2 or 3 times in a Day.

This is of good uſe to abſorb and dry up the remaining Moiſtures and watry Humours, which the ordinary Catharticks leave behind; and will make the Cure laſting, which otherwiſe would be but ſhort. In all ſcorbutick Habits likewiſe, eſpecially where the

Extreams tend towards too great a Fulneſs and Corpulency, this is of real Service, if the Patients are kept to it for ſome time together. In all Tendencies likewiſe towards a Palſy it does much good both by drying away watery and ſloughy Humours, which deſtroy due Senſation, and giving Warmth and Briskneſs to the Juices.

Confectio Fracaſtorii.

Ut. in Pharmacopœiâ Londinenſi; ſed in loco Mellis præparand. cùm Syr. è Meconio.

Fracaſtorius's *Confection.*

This is the ſame as the common Diaſcordium of the *College*; only inſtead of Honey is made uſe of Syrup of Diacodium in its room.

This is given about a Dram in a Doſe in ordinary Fluxes of the Belly, and as an Opiate to compoſe the Bowels after ſtrong Purging; or whereſoever Opiates are requiſite, and nothing forbids aſtringing at the ſame time.

Decoctum

Decoctum Album.

℞ *C.C.C. albiſs.* ℔ſs.
Gum. Arabic. ℥ij.
f. Pul. ſubtiliſ. cui affunde
Aquæ bullient, Cong. j.
Tum adde
Aquæ Cinnam. fort. ℔ſs.
Et addend.
Rad. Tormentil. ℥iv.
Cort. Granator. ℥ij.
Inter Coquend. tunc dicitur, Dec. Aſtringens.

The White Drink.

Take of the whiteſt burnt Hartſhorn half a Pound, of Gum Arabic 2 Ounces; reduce them into a Powder, and pour upon them 1 Gallon of boiling Water; to which add ſtrong Cinnamon-Water half a Pint; and if further be added of Tormentil Roots 4 Ounces, and 2 Ounces of Pomegranate-Bark, in the boiling, it is then called, *The Reſtringent Decoction.*

This is conſtantly made in large Quantities, and given as a common Drink in all kinds of Fluxes. It is likewiſe the common Drink for Perſons under Salivation, eſpecially while the Spitting is raiſing, and in Fevers,

vers, Small-pox, or Meaſles, where a Looſeneſs is to be guarded againſt.

Decoct. Hydropicum.

℞ *Infuſion. Paralytic.*
Decoct. Scorbut. ā ℔j.
Miſce.

The Hydropick Diet-Drink.

Take of the Paralytick Infuſion, and of the Scorbutick Decoction, each 1 Pint, and mix for uſe.

The Virtue and Uſe of this may be known by its Title; but beſt by the reſpective Ingredients, to be met with in their proper Places. The Doſe 10 Ounces, twice a Day.

Decoctum Iſtericum. D. M.

℞ *Rad. Curcumæ.*
Rub. Tinctor. ā ℥j.
Fol. Chelid. cum floribus;
Hyperic. ā Mj.
Coq. in aq. fontan. q. ſ. ad ℔ij. *Colat. adde Syr. e 5 radicibus* ℥ij. *Miſc. Doſis* ℔ſs. *bis in die.*

Dr.

Dr. M——*'s Decoction for the Jaundice.*

Take of Turmerick Root, and of Madder Root each 1 Ounce, Leaves of Celandine with the Flowers, St. *John*'s-wort, each 1 Handful; boil them in Spring-water a ſufficient Quantity to 2 Pints: To the ſtrained Liquor add Syrup of the 5 opening Roots 2 Ounces, and mix for uſe. The Doſe is half a Pint twice in a Day.

This is directed to all in the Jaundice, or in any Scorbutick Habit of Body, either tending that way, or to Dropſies.

Decoctum Carminativum.

℞ *Fol. Mercurialis*;
Parietariæ;
Meliloti, ā Mj.
Sem. Lini;
——*Aniſi*, *contuſ.* ā ℥j.
Flor. Chamæm. Mj.
Coq. in aq. fontan. q. ſ. ad ℥xij. *col. ad uſum.*

The Carminative Decoction.

Take of Mercury Leaves, Pellitory of the Wall, and Melilot, each 1 Handful, Linſeed and Aniſeed bruiſed each 1 Ounce,

Chamomile-Flowers 1 Handful; boil in a ſufficient Quantity of Spring-water to 12 Ounces, and ſtrain out the Liquor for uſe.

This is the common Clyſter-Decoction, and is uſed on no other Account.

Decoctum Scorbuticum.

℞ *Fol. Abſynth. Vulg.*
——— *Rom. ā* Mj.
Agrimon.
Cardui Ben.
Sumit. Centaur. Min. ā Mij.
Rad. Gentian. inciſ. ℥j.
Raphani ruſtic. ℥ij.
Coq. in aq. font. q. ſ. ad ℔vj. *Colat.* ℔ *uſu ad. flor. Cham.* Mj.

The Scorbutick Decoction.

Take of Common and Roman Wormwood each 1 Handful, Agrimony, Carduus, and the Tops of Centaury the leſſer, of each 2 Handsful, of Gentian Root ſliced 1 Ounce, Horſe-radiſh 2 Ounces; boil them in a ſufficient Quantity of Spring-water to 6 Pints, and in the ſtrained Liquor infuſe 1 Handful of Chamomel-flowers for uſe.

This is one of the Ingredients of the *Decoctum Hydropicum* above; and comes into uſe

uſe after the Load of Humours has been forced off by Purges, and the more powerful Diureticks; becauſe it confirms the Tone of the Fibres, and prevents a Relapſe. It alſo gives ſuch Strength to the Stomach, as to procure a good Appetite, and help Digeſtion; whereby ſo many crude Humours are not ſupply'd to the Blood, as fill the ſmall Glands, and produce the moſt remarkable Symptoms of the Scurvy.

Decoctum Dieteticum.

℞ *Lig. Guajac.*
Scobis ejuſdem, ā ℔j.
Rad. Liquorit. ℥xij.
Sem. Coriandri, ℥ij.
Coq. in aq. fontan. Cong. vj. *ad Cong.* iv. *colat. addendo Rad. Mezarei* ℥j.

The Dietetick Decoction.

Take of Guajacum-wood, and Bark, each 1 Pound, Liquorice-root 12 Ounces, Coriander-ſeed bruiſed 2 Ounces; boil them in 6 Gallons of Spring-water to 4 Gallons; to the ſtrained Liquor add Mezereon-Root 1 Ounce.

This is uſed as a common pectoral Drink, and as an ordinary Sweetener in any Courſe of Alteratives.

Decoctum Traumaticum.

℞ *Fol. Heder. ter.*
Scabioſ.
Tuſſilag. ā Mij.
Hyſſopi Mj.
Rad. Enulæ ℥j.
Liquorit. ℥iv.
Fol. Agrimoniæ Mj.
Coq. in aq. fontan. q. ſ. ad. colat. Cong. j.
Doſis ℥iv. *ad libitum.*

The Traumatick Decoction.

Take of Ground Ivy, Scabious, and Coltsfoot, each 2 Handsful, Hyſſop 1 Handful, Elicampane-root 1 Ounce, Liquorice 4 Ounces, Agrimony 4 Handsful; boil them together in a ſufficient Quantity of common Water to 1 Gallon. The Doſe is 4 Ounces at Diſcretion.

This is more pectoral than the former, and is directed in all Diſtempers and Decays of the Lungs, or any of the *Viſcera*, and uſed as a common Drink.

Decoctum

Decoctum Sena. D. W.

℞ *Sena Alex.* ℥ij.
Rad. Glycyrrhiza ℥j.
Caſſiæ fract. ℥iij.
Crem. Tar. ℥j.
Coq. in aq. fontan. q. ſ. ad ℔ij. *Doſis* ℥iij. *vel* ℥iv. *cum Syr. de Spin. Cer. q. v.*

Dr. W——*'s Decoction of Sena.*

Take of *Alexandrian* Sena 2 Ounces, Liorice-root 1 Ounce, Caſſia broken 3 Ounces, Cream of Tartar 1 Dram; boil in a ſufficient Quantity of Spring-water to 2 Pints: The Doſe is 3 or 4 Ounces, with a ſufficient Quantity of Syrup of Buckthorn.

This is the ordinary Purge for tender Patients, becauſe it works very mildly, if there be not too much of the Syrup of Buckthorn put to a Doſe. Two or three Drams generally the Quantity made uſe of.

Decoctum Amarum.
—— —— *Pectorale.*

The Bitter and
—— *Pectoral Decoction.*

Both

Both theſe are made as directed in the *London Diſpenſatory*, and are uſed in the ſame manner, as ordered in the common Practice.

Electuarium Aſtringens. D. *M.*

℞ *Conſ. Roſar. rub.* ℔j.
Terræ Japonicæ ℥iv.
Alum. Plumoſ.
Elixir. Vitrioli ā ℥j.
Syr. Cydonior. q. ſ. f. Elect.

Dr. M——*'s Aſtringent Electuary.*

Take of Conſerve of red Roſes 1 Pound, *Japan*-Earth 4 Ounces, Earth-flax 1 Ounce, Elixir of Vitriol 1 Ounce, Syrup of Quinces a ſufficient Quantity to make it into a due Conſiſtence for an Electuary.

This is directed in the moſt obſtinate Fluxes of the Belly; to be taken the Quantity of a Nutmeg 2 or 3 times in a Day, or oftener, if there be Occaſion.

Electuarium Acidum.

℞ *Conſ. Lujulæ* ℥iv.
Crem. Tartar. ℥vj.
Tart. Vitriol. ℥ij.
Syr. e Succo Lujulæ q. ſ. ut f. Electuarium.

The

The Acid Electuary.

Take Conſerve of Wood-ſorrel 4 Ounces, Cream of Tartar 6 Drams, Vitriolated-Tartar 2 Drams, Syrup of the Juice of Wood-ſorrel a ſufficient Quantity to make into an Electuary.

This is given in the Jaundice, and in all Diſorders that are ſuſpected to ariſe from too great a Mixture of Choler, and ſuch like aduſt Humours. The Quantity of a Nutmeg to be taken 2 or 3 times in a Day. It is alſo Diuretick, and frequently preſcribed in Obſtructions of the Urinary Paſſages, whether they be from Gravel or ſloughy Humours.

Elect. Balſamicum.

℞ *Balſ.* Lucatelli ℔j.
Sachar. rub. Cand. ℔ſs.
Syr. Balſ. q. ſ. ut f. Elect.

The Balſamick Electuary.

Take of *Lucatellus*'s Balſam 1 Pound, red Sugar-candy half a Pound, Syrup of Balſam a ſufficient Quantity to make into an Electuary.

This

This is given in Diſtempers of the Breaſt and Lungs, and in all Suſpicions of inward Ulcerations; as alſo upon any accidental Bruiſes: the Quantity of a Nutmeg 2 or 3 times in a Day, with a Draught of the Traumatick or Pectoral Decoction after each Doſe.

Electuarium Chalybeatum.

℞ *Conſerv. Abſynth. Rom.* ℥ij.
Zinzib. Cand. ℥ij.
Scob. Chalybis ℔ſs.
Syr. Chalyb. q. ſ. ut f. Elect.

The Steel Electuary.

Take of Conſerve of Roman Wormwood 1 Pound, of candy'd Ginger 2 Ounces, Powder of Steel half a Pound, Syrup of Steel a ſufficient Quantity to make into an Electuary.

This is directed in a *Chlaroſis*, and all menſtrual Obſtructions: Likewiſe in all Decays of Conſtitution that have been occaſioned either by acute Diſtempers, or the Severity of Cure from ſome Chronick Caſes. For it greatly warms the Blood, and gives new Life and Vigour to the Juices. Its Quantity is about a Dram, or the bigneſs of a Nutmeg, to be taken 2 or 3 times in a Day.

Day. Exerciſe, as walking about, is as much ordered as is convenient with the Condition and Circumſtances of a Patient, in the uſe of it, becauſe it greatly aſſiſts its Operation.

Electuarium Scorbuticum.

℞ *Conſ. Cochlear. hortenſ.*
Sambuci, ā ℥iv.
Rad. Ariſicc.
Milleped. ℔ ℔. ā ℥j.
Cort. Winteran. pulv. ℥ij.
Syr. Sambuci q. ſ. ut f. Elect.

A Scorbutick Electuary.

Take of the Conſerve of Garden Scurvy-graſs, and of Elder, each 4 Ounces, Aron-root in Powder, Millipedes prepared, each 1 Ounce, Powder of *Winter*'s Bark 2 Drams, Syrup of Elder a ſufficient Quantity to make into the Conſiſtence of an Electuary.

The Quantity of a Nutmeg is order'd of this 2 or 3 times in a Day; and it is given in all Caſes attended with a foul Blood, as in the Itch, and ſuch like Diſtempers.

Electuarium Diasinapios.

℞ *Pulv. sem. Sinapios* ℥iv.
Sem. Nesturtiæ;
Erucæ, ā ℥ſs.
Fol. Majoranæ;
Menthæ, ā ℥jſs.
Ol. N. M. ℥jſs.
Syr. Paoniæ simpl. q. ſ. ut f. Electuarium.
Doſis ℥j. *bis in die.*

The Muſtard Electuary.

Take of Muſtard-ſeed powder'd 4 Ounces, of Water-creſſes, and Rochet, each half an Ounce, Leaves of Marjoram, and Mint, each 1 Ounce and half, Oil of Nutmegs 1 Dram and half, Syrup of Pionies ſimple a ſufficient Quantity to make into an Electuary: The Doſe 1 Dram twice in a Day.

This is given in all paralytick Caſes, Numbneſs, and thoſe nervous Decays which are common to Old Age, and ſuch as have had any Shocks of an Apoplexy. It greatly warms the Blood, and gives new Spirits to the almoſt dryed Fibres.

Electuarium Febrifugum.

℞ *Cortic. Peruvian. pulv.* lbj.
Rad. Serpent. Virg. ʒj.
Syr. Garioph. q. ſ. ut f. Elect.

The Febrifuge Electuary.

Take of the *Peruvian* Bark finely powder'd a Pound, Snake-root 1 Ounce, Syrup of Cloves a ſufficient Quantity to make into an Electuary.

This is given in the Intervals of an intermitting Fever, and in all Agues, which it infallibly cures; but they will frequently return, unleſs this be repeated for 2 or 3 Days, about 10 Days after the firſt Cure. But great Care is neceſſary, that it be not given till the Fit is clear off, otherwiſe it will grievouſly aggravate the Diſtemper. It is to be given ſeldomer or oftner, according to the Length of the Intervals; ſo that 4 or 5 Doſes may be taken in that Space, in the Quantity of a Cheſtnut each Doſe.

Electuarium Hæmorrhoidale Laxativum.

℞ *Elect. Lenitiv.* ʒjſs.
Flor. Sulphur. ʒiij.
Syr. Violar. q. ſ. ut f. Elect.

A Laxative Electuary for the Piles.

Take of Lenitive Electuary 1 Ounce a half, Flowers of Brimstone 3 Drams, Syr of Violets a sufficient Quantity to make it an Electuary.

The Quantity of a Nutmeg is to be tal of this every Morning and Night, and will keep the Belly moderately lax, greatly ease the Piles. All the Sulphur dicines are of Service in this Complai whether by altering the Quality of Blood, or by influencing the Secretion, to remit its Quantity, is of too great a here to be enquired into.

Electuarium Carminativum.

℞ *Pulv. Sem. Angel.*
——— *Carui*;
——— *Petrosel.* ā ℥ij.
Syr. Caryoph. q. s. ut f. Electr.

A Carminitive Electuary.

Take of the Powder of Angelico-se Caruway-seeds, and Parsley-seeds, eac Drams, Syrup of Cloves a sufficient Q tity to make into an Electuary.

This is directed to be taken at Diſcretion, about the Quantity of a Nutmeg, for ſuch who are much liable to Wind in the Bowels or Stomach.

Electuarium Nephriticum.

℞ *Elect. Lenitiv.* ℔j.
Terebinth. Ven. ℥iv.
Crem. Tartari ℥j.
Miſce f. Elect. Doſis ℥j. *bis de die.*

A Nephritick Electuary.

Take of Electuary Lenitive 1 Pound, *Venice* Turpentine 4 Ounces, Cream of Tartar 1 Ounce; mix them into an Electuary, The Doſe 1 Dram twice in a Day.

This gently opens by Stool; but is very forcing by Urine, and is therefore directed in all Obſtructions and Foulneſſes of the Kidneys and Ureters; and even in *Gonorhœa's* it is an excellent Remedy, and principally uſed in the Hoſpitals for ſuch Purpoſes.

Electuarium Terebinthinatum.

℞ *Pulv. Rad. Jallap.* ℥iv.
Scammonii;
Liquorit. ā ℥ij.
Rez. Jallap. ℥ſs.
Sal. Tartar.
Ol. Aniſi, ā ℥ij.
Terebinth. Venet. q. ſ. ut f. Elect. Doſis ℥j. *omni mane.*

The Turpentine Electuary.

Take Powder of the Root of Jallap 4 Ounces, Scammony, and Liquorice, each 2 Ounces, Rezin of Jallap half an Ounce, Salt of Tartar 2 Drams, *Venice* Turpentine a ſufficient Quantity to make into an Electuary: The Doſe 1 Dram every Morning.

This will purge pretty briskly, and is alſo frequently directed in a *Gonorrhœa*, to be taken till the Matter becomes well-colour'd; when it is left off for Things more ſtrengthning. But it is however good in all Caſes whatſoever, as an ordinary Purge.

Enema

Enema Anticolicum.

℞ *Decoct. Carminativ.* ℥x.
Mel. Mercurialis ℥iij.
Specier. Hiera ℥ij.
Sal. Mar. Cochl. j.
Miſce.

A Cholick Clyſter.

Take of the Carminative Decoction 10 nces, Honey of Mercury 3 Ounces, Hiera ra 2 Drams, Sea Salt 1 Spoonful; mix ether for a Clyſter.

The Title of this ſufficiently ſhews its e and Virtues. As alſo of

Enema Commune.

℞ *Decoct. Carminat.* ℥x.
Mel. Mercurialis ℥ij.
Elect. Lenitiv. ℥j.
Miſce.

The Common Clyſter.

Take of the Carminative Decoction 10 nces, Honey of Mercury 2 Ounces, Leni- e Electuary 1 Ounce; mix together for a ſter.

Ene-

Enema Dyſentericum.

℞ *Decoct. albi* ℥vj.
Diaſcord. ℥ſs.
Bol. Armen.
Theriac. Androm. ā ℥ij.
Miſc.

A Clyſter for the Bloody-Flux.

Take of the White Decoction 6 Ounces, Diaſcordium half an Ounce, Bole-Armoniack, *Venice*-Treacle, each 2 Drams; mix together for a Clyſter.

This muſt be well mixed, and carefully adminiſtred, elſe it will not paſs the Pipe: And in Fluxes all Clyſters ought to be in as little Quantity as they can be conveniently given, becauſe they will ſtay the eaſier, and conſequently have the greater Effect.

Enema Hæmorrhoidale.

℞ *Gallor. contuſ.* ℥iij.
Coq. in aq. fontan. q. ſ. ad ℥vj. *Colat. ſ. Enema pro uſu.*

A Cly-

A Clyster for the Piles.

Take Galls bruised 3 Ounces, boil them in a sufficient Quantity of Spring-water to 6 Ounces, and strain out the Liquor for a Clyster.

Enema Lenitivum. D. *W.*

℞ *Decoct. Carminat.* ℥xij.
Mel. Anglic. ℥ij.
Sachar. rub. ℥j.
Misc.

Dr. W——*'s Lenitive Clyster.*

Take of the Carminative Decoction 12 Ounces, common Honey 2 Ounces, brown Sugar 1 Ounce; mix together for a Clyster.

Enema Terebinth.

℞ *Decoct. Carminat.* ℥x.
Terebinth. Venet. (*in vitella ovi solut.*) ℥ss.
Electr. Lenit.
Mel. commun. ā ℥j.
Misce.

The Turpentine Clyster.

Take of the Carminative Decoction, 10 Ounces, *Venice*-Turpentine (dissolved in the

the Yolk of an Egg) half an Ounce, Electuary-Lenitive, and common Honey, each 1 Ounce; mix them together very carefully for a Clyſter.

This is generally order'd in ſuch Cholick Pains as proceed from the Stone or Gravel.

Emplaſtrum Diſcutiens ſimpl. D. *W.*

℞ *Ol. Olivar.*
Trebinth. Venet. ā ℔ss.
Picis Burgund.
Ceræ flavæ, ā ℔ij.
Miſce & coq. ad debitam conſiſtentiam ut f.
Emplaſt.

Dr. W——'s *Diſcutient Plaſter.*

Take of Oyl of Olives, and *Venice*-Turpentine, each 4 Pound, *Burgundy*-Pitch, and Yellow Wax, each 2 Pound; boil them together to a due Conſiſtence for a Plaſter.

Emplaſtrum Laterale.

℞ *Empl. ex Galbano croc. vel. Myrrhat.* ℥vj.
Diachyl. cum Gummi ℥ij.
E Cymino ℥iij.
Miſce & colliq. addendo Ol. Pulegii, gut. x. *Ol. Lavend.* gut. vj.

A

A Plaſter for the Side.

Take of *Mynſicht*'s Galbanum with Saffron Drams, Diachylon with the Gum 2 Drams, ummin-Plaſter 3 Drams; melt them toge-ner, and add 10 Drops of Oyl of Penniroyal, nd 6 Drops of Oyl of Lavender.

This is applyed in any Pains and Stitches, nd is found of good Service; and alſo to hildren, that have inward Convulſions.

Emplaſt. Mercuriale. D. *W.*

℞ *Empl. Diſcutient. ſimpl.* ℔iv. *Liquat. adde Hydrar. Tereb. Venet. q. ſ. bene commixt.* ℥xij. *Miſce ut f. Empl.*

Dr. W——'s *Mercurial Plaſter.*

Take of the above ſimple Diſcutient Pla-ter 4 Pounds, melt it, and add thereunto 2 Ounces of Quickſilver, that has been well ncorporated, with a ſufficient Quantity of Turpentine.

Theſe are both good to diſcuſs hard Tu-mours; but the latter with Quickſilver is much the moſt efficacious in thoſe which are obſtinate, and frequently ariſe from ve-nereal and ſcrophulous Cauſes. Great Care

in

in making is to be uſed, to incorporate the Quickſilver well with Turpentine, elſe it will not be ſo mixed, but that in ſpreading the Plaſter for uſe, it will ſeparate and run into Globules. If this be carefully made, it is preferable to the Frog-Plaſter with Quickſilver in the *London Diſpenſatory*, altho' that is vaſtly more troubleſome to make, being ſtuffed with many Ingredients, that are of no real Service, but only to perplex the Compounder, and amuſe the Expectations of the Ignorant.

Emplaſtrum Epiſpaſticum. D. *W.*

℞ *Empl. Diſcutien. ſimpl. vel Adheſiv. Bateau. q. ſ. extende craſſius ſuper alutam, ſuperficiem obtegendo pulvere ſubtiliſſimo Cantharidum q. ſ.*

Dr. W—*'s Bliſter-Plaſter.*

Take of the ſimple diſcutient Plaſter above-mentioned, or of the ſticking Plaſter in *Bate's*, a ſufficient Quantity to ſpread thick upon Leather, over which ſprinkle of the fine Powder of Cantharides as much as will ſtick.

This is an eaſy way, and now much uſed in the common Practice, as well as in the *Hoſpitals*. And it is much more certain,

than

han the common Plaſters into which the Flies are mixed, for it cannot fail of its Intention; but ſome are apprehenſive that by this means the Flies get more into the Blood, and are more liable to create Stranguries, and ſuch Inconveniencies as make their inward Uſe ſo dangerous. But whether there be any thing in this or not, there is not Room here to conſider. However, thoſe who chuſe this way are obliged to leave the Edges of the Plaſter uncovered with the Flies, or to ſtick Strops on it croſs-ways, ſpread with ſomewhat ſticking, elſe it will not keep upon the Part to which it is applyed.

Emplaſt. Lumbare. D. *W.*

℞ *Empl. Diachylon. ſimpl. vel de Minio* ℔ſſ. *Liquat. adde*
Thuris opt. ℥ij.
Bol. Armen. ℥iij.
Miſce.

Dr. W——*'s Plaſter for the Back.*

Take Diachylon ſimple, or de Minio, half a Pound; to which, when melted, add of the beſt Frankinſence 2 Ounces, and of Bole-Armoniack 3 Ounces.

This is ſpread upon Leather pretty thick, and apply'd to the Small of the Back, to be

continued as long as it will ſtick, for many Weakneſſes of the Kidneys; in which caſe it frequently does good Service: But it is more particularly uſeful in that Diſorder which, amongſt the Females, is called the *Whites*. But to ſome it occaſions ſuch intolerable Itching, as to make it difficult to keep it on.

Gargariſma Apoplecticum. D. W.

℞ *Rad. Pyrethri;*
ZZ. inciſ. ā ℥ſs.
Piper. alb. contuſ. ℥ij.
Coq. in aq. fontan. q. ſ. ad ℔ſs. *coctione finitâ, calid. affunde*
Sem. Sinapios ℥iij.
Colat. adde
Aceti acerimi ℥iij.
Miſ. f. Gargariſma, quo colueret fauces ſiphonis auxilio.

Dr. W——*'s Apoplectick Gargle.*

Take Pellitory Root, and Ginger ſliced, each half an Ounce, white Pepper 2 Drams, boil in a ſufficient Quantity of Water to half a Pint, which pour out upon 3 Drams of bruiſed Muſtard-ſeed: when it is ſtrained, put to it 3 Ounces of ſharp Vinegar for a Gargle to ſyringe the Mouth with.

Gargariſma Commune. D. *W.*

℞ *Aq. Hord.* ℔j.
Alum. uſt. ℥ij.
Mel. Angl. ℥iij.
Miſce.

Dr. W——*'s Common Gargle.*

Take Barley-water 1 Pint, Burnt-Alum 2 Drams, Honey 3 Ounces; mix them together for uſe.

Gargariſma Emolliens.

℞ *Decoct. Pectorale* ℔j.
Sp. Sal. Armoniac. ℥ij.
Miſce.

The Emollient Gargle.

Take Pectoral Decoction a Pint, Spirit of Sal Armoniac 2 Drams; mix them together.

There needs no Directions concerning the Uſe of theſe.

Hauſtus Purgans Communis.

℞ *Decoct. Sennæ* ℥iv.
Aq. Epidem. ℥ij.
Syr. e Spin. Cerv. ℥j.
Miſce.

The Common Purging Draught.

Take the Decoction of Sena 4 Ounces, Plague-water 2 Drams, Syrup of Buckthorn 1 Ounce; mix into a Draught.

This is a moderate Purge, and commonly directed in ordinary Caſes, where Purging is required.

Hauſtus Stomachic. D. *M.*

℞ *Aq. Cinnam. Hord.* ℥j.
Succ. Limon. ℥ſs.
Sal. Abſynth. ℈j.
Miſce f. Hauſtus.

Dr. M——*'s Stomachick Draught.*

Take Barley Cinnamon-water 1 Ounce, Juice of Limons half an Ounce, Salt of Wormwood 1 Scruple; mix for a Draught.

This is given in Vomitings, and is to be repeated after each Vomiting, until it ſtops; but it is ſo effectual to this purpoſe, as ſeldom to require many Repetitions, before it takes place.

Hauſtus Epilepticus. D. *M.*

℞ *Rad. Valerian. Sylveſter Pul.* ℥ſſ.
Aq. Pulegii;
— *Ceraſor. Nigr.* ā ℥jſſ.
Syr. è Peoniæ Comp. ℥ij.
Miſce f. Hauſtus.

Dr. M——*'s Epileptick Draught.*

Take Powder of wild Valerian Root one Dram and half, Peniroyal Water, and black Cherry Water, each 1 Ounce and half, Syrup of Pionies 2 Drams; mix into a Draught.

This is an extraordinary Medicine for the purpoſe it is preſcribed, tho' it is not much known in common Practice. The Valerian is alſo very efficacious in all Diſtempers from a Nervous Origin.

Hauſtus Emeticus Communis.

℞ *Infuſionis Croc. Metallor.* ℥j.

The Common Vomit is,

An Ounce of the Infuſion of *Crocus Metallorum.*

Hauſtus Emeticus. D. *H.*

℞ *Succ. Herb. Aſari* ℥vj. *vel* ℥j.
Oxymel. Scillit. ℥ſs.
Aq. Cardui Ben. ℥ij.
Miſce f. Hauſtus.

Dr. H—le's *Emetick Draught.*

Take of the Juice of Aſarabacca 6 Drams, or an Ounce, Oxymel of Squills half an Ounce, Carduus-water 2 Ounces; mix into a Draught.

This is a very ſtrong Emetick, and is much uſed at *Bedlam*, amongſt the Maniacks, for it will operate, when neither the *Crocus*, nor any of the common Mercurial Emeticks, will move them. And it has been confirmed by all Experience, that ſuch Patients are much more difficult to be wrought upon, than any others, either by Catharticks or Emeticks; inſomuch that they will bear enough at a Doſe for 6 or 10 ordinary Perſons: their Fibres, and all the Parts of the *Brain*, moſt particularly adminiſtring to Senſation,

ſation, being extremely clogged with viſcid Humours, which this Medicine is very powerful in draining off; and upon the ſame Account likewiſe it is of ſuch good Service as a Sternutatory; for it greatly drains the Head by the powerful Twitches and Vellications it gives to the Fibres of the Noſe, and Parts adjacent.

Hauſtus Dyſentericus. D. W.

℞ *Aq. Cinnam. fort.*
Menthæ, ā ℥j.
Pul. Rhab. ℈ſs.
Syr. e Meconio ℥j.
Miſce.

Dr. W——*'s Draught for a Dyſentery.*

Take ſtrong Cinnamon-water, and Mint-water, each 1 Ounce, Powder of Rhubarb half a Scruple, Syrup of Diacodium 1 Ounce, mix into a Draught.

This both aſtringes and compoſes, and at the ſame time, by the Help of the Rhubarb, helps forward the Ejectment of ſuch Humours, as vellicate the Bowels, tear off their natural Mucus, and lay open the Capillaries in ſuch manner as to let out the Blood to flow at every Stool.

Infuſio

Infuſio Millipedum. D. *W.*

℞ *Milleped. vivent.* ℔iv.
Vini albi ℔viij.
Infund. frigid. ben. clauſ. pro dies xiv. *Doſis* ℔ſs. *bis in die.*

Dr. W——*'s Infuſion of Millepedes.*

Take 4 Pound of live Millepedes, infuſe them cold in 8 Pints of White Wine for 14 Days; then ſtrain for Uſe.

This is an excellent Diuretick, and a moſt efficacious Medicine in all Chronick Caſes, that are to be relieved by promoting the urinary Diſcharges, as are many ſchrophulous Diſorders, and ſuch as frequently are the Forerunners of ſcorbutick Dropſies, from a Retention of ſuch Humours as foul the *Viſcera*, and ſtuff the whole Habit with Water and Viſcidities.

Infuſio Paralytica. D. *M.*

℞ *Rad. Raphani ruſt. tenuit. inciſ.*
Sem. Sinapios contuſ. ā ℥iv.
Infund. in aq. bullientis ℔iv. *clauſ. horis* xxiv. *Doſis* ℔ſs. *bis in die.*

Dr.

Dr. M——*'s Paralytick Infuſion.*

Take Horſe-radiſh Root ſliced thin, and Muſtard-ſeed bruiſed, each 4 Ounces; infuſe them in 4 Pints of boiling Water for 24 Hours; then ſtrain for uſe, and drink half a Pint twice in a Day.

This is not only Diuretick as the former, but is alſo much warmer; and is therefore not only directed to cleanſe away by Urine any thing that lodges upon the Fibres, ſo as to ſpoil their Offices, but alſo to give them due Warmth, which in Paralytick Caſes they are deſtitute of. It ought to be kept cloſe ſtopped, becauſe it otherwiſe would, by its Volatility, ſpoil and grow vapid. In Rheumatiſms, this is alſo frequently given, with great Succeſs; eſpecially if the Limbs ſwell with great Pains.

Infuſio Pleuretica.

℞ *Fimi Equini recent.* ℥vj.
Aq. Pulegii ℥xij.
——*Theriac.* ℥iv.
Infund. calide. Colat. adde
Mithrid. ℥ij.
Sachar. albiſ. q. ſ.
Doſis ℔ſs. *bis de die.*

The

The Pleuretick Infuſion.

Take freſh Horſe-dung 6 Ounces, Penyroyal-water 12 Ounces, Treacle-water 4 Ounces; infuſe them warm, and to the ſtrained Liquor add Mithridate 2 Drams, White Sugar a ſufficient Quantity to ſweeten it; drink half a Pint twice in a Day.

This is a very good Medicine for the purpoſe it is intended for, and will frequently procure Eaſe, when no other means will take place. If the Doſe here mentioned be too noiſome, it may be leſſened, and repeated the oftener. This is likewiſe order'd in Diſtempers of the Breaſt, that are not a true Pleuriſie, wherein it will do great Service, as in a Peripneumony; and in an Aſthma, the common pectoral Drinks are not to be compared to it.

Julapium Camphoratum.

℞ *Camph.* ʒij.
Incende & ſæpe extingue in aq. font. ℔j. *ad totius Camphoræ conſumptionem.*

The Camphorated Julep.

Take Camphor 2 Drams, ſet it on fire, and quench it in a Pint of Water; then light

it again and quench it, which repeat till all the Camphor is conſumed.

This is order'd in malignant Fevers, and in inflammatory Caſes. There are ſome peculiar Hyſterical Caſes, wherein alſo it is of good Service: but it is not greatly uſed.

Julapium Hyſtericum.

℞ *Aq. Rutæ*;
—— *Pulegii*, ā ℥viij.
—— *Bryoniæ comp.* ℥iv.
Pulv. Troch. de Myrrhâ ℥ij.
Sachar. albiſ. ℥jſs.
Miſce f. Julap.

The Hyſterick Julep.

Take Rue-water, Peniroyal-water, of each 8 Ounces, Bryony-water compound 4 Ounces, Troches of Myrrh powder'd 2 Drams, fine Sugar 1 Ounce and half; mix into a Julep.

This is the ordinary Hyſterick Julep, given either as a Diluter of other more efficacious Medicines in ſuch Caſes, or where the Symptoms are not much aggravated, being well ſhaked before taking; the Quantity of 5 or 6 Spoonfuls at a Doſe, to be repeated once in 3 or 4 Hours.

Jula-

Julapium Cardiacum. D. W.

℞ *Aq. Scordii comp.* ℥vlij,
—— *Theriac.*
—— *Epidem.* ā ℥ij.
Syr. Caryoph. q. ſ. ut fiat Julap.

Dr. W——'s Cordial Julep.

Take compound Scordium-water 8 Ounces, Treacle-water, and Plague-water, each 2 Ounces, Syrup of Cloves a ſufficient Quantity to ſweeten it.

This is preſcribed in all kinds of Fevers, and is much more efficacious than the Juleps ordinarily preſcribed in common Practice: 3 or 4 Spoonfuls may be repeated every 2 or 3 Hours, till ſome Criſis appears, and the Diſtemper abates.

Julapium e Mithridaticum. D. W.

℞ *Aq. Hord.* ℥xij.
—— *Menthæ* ℥ij.
—— *Epidem.* ℥iv.
Elect. Mithrid. ℥ij.
Sachar. alb. ℥jſs.
Miſc. cap. Coch. iv. *ſextâ quâque horâ.*

Di-

Dr. W——*'s Julep with Mithridate.*

Take Barley-water 12 Ounces, Mint-water 2 Ounces, Plague-water 6 Ounces, Mithridate 2 Drams, White-Sugar 1 Ounce nd half; mix into a Julep, to take 4 Spoonuls every 6 Hours.

This is alſo directed to the ſame purpoſe s the foregoing; but is not quite ſo pleaant to take.

Julapium Febrif.

℞ *Aq. Hord.* ℔iij.
Theriac. ℥vj.
Syr. e ſuc. Lim. ℥iv.
Miſce.

A Julep to be taken in a Fever.

Take Barley-water 3 Pints, Treacle-water 6 Ounces, Syrup of Juice of Limons 4 Ounces; mix into a Julep.

This is directed for the common Diluter, and is order'd to be drank of liberally in all inflammatory Fevers.

Linctus Pectoralis.

℞ *Ol. Lini ſine igne extract.*
Syr. Caryophil. ā ℥ij.
Sach. alb. ℥j.
Miſce.

A Pectoral Linctus.

Take 2 Ounces of Linſeed Oyl drawn without Fire, and Syrup of Cloves, each 2 Ounces, Sugar 1 Dram; incorporate them together in a Marble Mortar.

This is commonly directed in all Diſtempers of the Breaſt, to promote Expectoration, and ſmooth the *Bronchiæ*, which are too much vellicated by a ſharp *Serum*. It is given a Spoonful at Diſcretion.

Laudanum Liquidum. D. *W.*

℞ *Carrioph.*
Cinnam.
Macis, ā ℥ſs.
Sal. Tartari ℥ij.
Opii Theb. ten. inciſ. ℔ſs.
Vini Canar. ℔vj.
Infunde clauſe ♆ *dies xiv. Doſis* gut. xxx.

Dr.

Dr. W—'s *Liquid Laudanum.*

Take Cloves, Cinnamon, Mace, each half an Ounce, Salt of Tartar 2 Drams, Opium half a Pound; infuſe them all in 6 Pints of Canary for 14 Days; then evaporate the ſtrained Liquor to 4 Pints. The Doſe 30 Drops.

Laudanum Opiatum. D. *W.*

℞ *Opii Thebaici ten. inciſ.* ℔j.
Vini Canarini ℔ij.
Sal. Tartari ℥ij.
Diſſolve & cola, deinde exhala ad conſiſtentiam Mellis; cui adde
Piper. long.
ZZ. ā ℥ij.
Sal. Volat. CC. ℈ſs.
Ol. Aniſi;
Caryoph.
N. M. ā ℥ij.
Miſce f. Maſſa. Doſis cujus ſit gr. j. *ad* ij.

Dr. W——'s *Solid Laudanum.*

Take Opium ſliced thin 1 Pound, Canary 2 Pints, Salt of Tartar 2 Drams; diſſolve them together, then ſtrain out the Liquor, and evaporate it to the Conſiſtence of Honey; to which add Long Pepper, and Gin-

ger, each 2 Drams, Volatile Salt of Hartshorn an Ounce and half, Chymical Oyl of Aniſeed, of Cloves, and of Nutmegs, each 2 Drams, and make into a Maſs for uſe; The Doſe from 1 Grain to 2 Grains.

Theſe are both extraordinary Medicines, eaſily made, and much preferable to any under the ſame Title, that are vaſtly more troubleſome and coſtly to prepare. Their Uſe needs no Explanation.

Mixtura Aſthmatica.

℞ *Oxymel Scillit.*
Aq. Cinnam. Hord. ā ℥iij.
Miſce.

The Aſtmatick Mixture.

Take Oxymel of Squills, Barley and Cinnamon-water, each 3 Ounces; mix them together.

This is given to promote Expectoration; and it is alſo an excellent Diuretick, by which means it operates all poſſible ways to anſwer the purpoſes ſignified by the Title. It is given a Spoonful at a time, 3 or 4 times in a Day, but particularly in the Morning.

Mixtura Antiemetica. D. *W.*

℞ *Succi Limon. recent.* ℥vi.
Sal. Abſynth. ʒii.
Miſce.

D. *W——'s Antiemetick Mixture.*

Take freſh Juice of Limons 6 Ounces, Salt of Wormwood 2 Drams, mix them together.

If this is not mixed in a very large Veſſel, and great Care taken, the Fermentation will be ſo violent and ſudden, as to throw it over. It is very good for the purpoſes its Title expreſſes, and is directed 3 or 4 Spoonfuls at a time, to be repeated after every Vomiting, till it ſtops.

Mixtura Cardiaca Anodyna.

℞ *Aq. Theriac. ſuperſcript.*
Menth. ā ℔ii.
Philon. Perſic. ℥j.
Miſce Cap. coch. ii. *poſt ſing. ſed.*

The Anodyne Cardiac Mixture.

Take Treacle-water above-preſcribed, and *Mint*-water, each 2 Pints, Philon. Perſic.

1 Ounce; mix together, and take 2 Spoonfuls after every Stool.

This is a ſtanding Mixture at the *Lock* Hoſpital, which is given to prevent a Griping, and a Teneſmus, which frequently happen by anointing with Mercurials to raiſe Salivation. And if Blood likewiſe appears with the Stools, the following Clyſter is ordered.

℞ *Brodii Sebac. vel*
Ol. Lini, ℔ ſs.
Vitel. Ov. No. ij.
Theriac. Lond.
Balſ. Sulph. Terebinth. ℥ ſs.
Miſce f. Enema.

Take very fat Broth, or Linſeed-Oyl, half a Pint, the Yolk of 2 Eggs, *London* Treacle 3 Drams, Balſam of Sulphur terebinthinated half an Ounce; mix for a Clyſter.

Mel. Mercurial.

Ut in Pharmacopœia Londinenſi.

Opium Purum.

℞ Opii *opt. inciſ.* ℥iv.
Coq. in aq. puriſſimâ q. ſ. ut Tinct. extrahatur rubicundiſſima. Hanc e fæcibus cola, novaq; aqua affundatur, & ut antea coq. tamdiu operationem repet. donec fæces Tincturam alterius negant. Tincturas omnes evapora lenta igne ad conſiſtentiam Pilulæ. Pu-

Purified Opium.

Take of the beſt Opium 4 Ounces, diſſolve it and boil it in a ſufficient Quantity of clear Water, till it gives it a very red Colour, which ſtrain from the Fæces; to them put freſh Water, and boil again; which repeat as long as they will continue to give any Tincture; then evaporate the ſeveral Tinctures together into the Conſiſtence of a Pill.

This is uſed in the ſame Caſes and Quantities as crude Opium, and by ſome is preferr'd thereunto; but the Difference is not worth diſputing, and hardly worth the Trouble of the latter Proceſs.

Oxymel Scilliticum.

Ut Pharmacopœia Londinenſi.

Oxymel Pectorale.

℞ *Rad. Enul.*
Aſari;
ZZ. inciſ. ā ℥vj.
Iridis flor.
Galang. inciſ.
Piper. alb. parum contuſ. ā ℥iij.
Aq. fontan. ℔x.
Accer. Vini albi ℔vj.
Macera hor. xxiv. deinde coque ad ℔x. *colat. adde Mel. Anglic.* ℔vj. *coque & deſpuma; & tandem add. ſucc. Liquorit.* ℔ſs. *ut f. Oxymel. Doſis* cochl. ij. *ad libitum ſumend.*

A

A Pectoral Oxymel.

Take of the Roots of Elicampane, Asarabacca, and Ginger, each 6 Ounces, of Florentine Orrice, and Galangal Roots sliced, and white Pepper a little bruised, each 3 Ounces, Spring-water 10 Pints, White-wine Vinegar 6 Pints; steep them together 24 Hours, then boil to 10 Pints; strain, and add Honey 6 Pounds; then boil and clarify; to which add of the Extract of Liquorice half a Pound, and make into a Syrup.

This is an efficacious Detergent, and does greatly promote Expectoration; for which purpose it is much given in all Asthmatick Cases, and where the Breast is clogged with viscid Humours: 2 or 3 Spoonfuls are ordered to be taken at any time.

Oxymel Sambucinum.

℞ *Flor. Sambuci* Miij.
Coq. in aq. fon. ℔iv. *ad* ℔iij. *colat. ad. accet. Vin. alb Succ. Pomor. Agrest.* ℔ij. *mel. opt.* ℔vj. *Coq. ad Syrupi consistentiam.*

Elder

Elder Oxymel.

Take Flowers of Elder 3 Handsful, boil them in 4 Pints of Water to 3 Pints; to the ſtrained Liquor add White-wine Vinegar 1 Pint, Verges 2 Pints, and of the beſt Honey 6 Pound; boil up to the Conſiſtence of a Syrup.

This is given to help Expectoration, and is very effectual to break away the Obſtructions of the Breaſt, which occaſion Aſthmas and Coughs.

Pil. Stiptic. D. *M.*

℞ *Alum. rup. puriſſ.* ℥iij.
Liquetur ſuper ignem, cui adde
Sang. Dracon. pul. ℥j.
Ut f. maſſa, cujus ex ſingulis Drachmis f. Pil.
N°. x. *Doſis Pil.* v. *ter in die.*

Dr. M——*'s Stiptick Pill.*

Take fine Roch Alum 3 Drams; melt it over a clear Fire, and then ſtir into it 1 Dram of Dragon's-Blood finely powder'd; and out of each Dram of the Maſs make 10 Pills; 5 of which are to be taken 3 times in a Day.

These

Theſe are very much reſtringent, and are directed only in very obſtinate Fluxes.

Pil. Anodyne.

℞ *Opii puriſ. noſtr.* gr. j.
Extract. Croci gr. iv.
Miſce f. Pilula.

The Anodyne Pill.

Take purified Opium 1 Grain, Extract of Saffron 4 Grains, and mix.

This is a pleaſant and a very ſafe Opiate, and may be given in all Caſes where ſuch Helps are required. But its principal Uſe is in Catarrhs, and ſuch Defluxions, as occaſion tickling Coughs, which it greatly relieves, and helps the Diſcharge of a great deal of Serum by the cutaneous Glands in Perſpiration, and Breathing-Sweats.

Pil. Catarrhales.

℞ *Pil. Ruffi* ℈j.
Opii puriſ. gr. j.
F. Pil. hord ſomni ſumend.

Pills for a Catarrh.

Take *Pill. Ruffi* 1 Scruple, fine Opium 1 Grain; mix into Pills, and take them at Night going to Bed.

As the former is given to ſtop the Defluxion of Rheum upon the Glands of the Throat, and encourage its Diſcharge by the Skin; theſe are intended to divert it by Stool, and are very good for that purpoſe. They are given to aſthmatick Conſtitutions, and ſuch as are inclining to Conſumptions, from the Injuries ſuch Defluxions are apt to do to the Lungs.

Pil. Diuretica.

℞ *Sapon. Ven.* ℥j.
Ol. Aniſ. gut. xxxij.
Contunde in Mortario ut f. Pil. N°. x. *ex ſingulis Drachmis, involve in pulv. oculorum Cancrorum.*

The Diuretick Pills.

Take *Venice* Soap 1 Ounce, Oyl of Aniſeed 32 Drops; beat them into a Maſs, and make 10 Pills out of every Dram, to be rolled up with the Powder of Crabs-Eyes.

Theſe

Theſe are very efficacious in all Obſtructions of the Urinary Paſſages; and alſo ſo very detergent, as to be of great Service in any Foulneſſes of the *Viſcera*; ſo that they are not only of good Service in the Stone and Gravel, but in the Jaundice and Aſthma's, in the moſt obſtinate Caſes of which they are order'd with the greateſt Certainty of Succeſs. They are to be taken from 3 to 5, 2 or 3 times in a Day; the Patient uſing proper Diluters at the ſame time.

Pil. Ecphractica.

℞ *Specier. Hiera Picra* ℥iv.
Sal. Martis ℥ſs.
Syr. Chalybis q. ſ. miſce f. Pil. mediocres, Doſ. vj. *vel* vii. *de die.*

The Ecphractick Pills.

Take Hiera Picra 4 Ounces, Salt of Steel half an Ounce, Syrup of Steel a ſufficient Quantity to make into Pills of a moderate Bigneſs, to take 6 or 7 every Day.

Theſe are directed in groſs Habits of Body, that are contracted either from a ſlothful Life, or a poor groſs Diet, where the Stomach and *Viſcera* begin to be ſtuffed with ſuch Viſcidities, as create Dropſies, Aſthma's,

ia's, and many other Chronick Diſeaſes. They purge very gently, and are particularly good in a *Chloroſis*, and likewiſe in Hypochondriacal Affections.

Pil. Stomachicæ. D. *M.*

℞ *Specier. Hieræ* ℥ij.
Rad. Ariſic. ℥ſs.
Extract. Gentian. ℥ij.
Elix. Propriet. q. ſ. ut f. maſſa, adde
Sal. Abſynthii ℥ij.

Dr. M——*'s Stomachic Pills.*

Take Hiera Picra 2 Ounces, dry'd Aron Root half an Ounce, Extract of Gentian 2 Drams, Elixir Proprietatis a ſufficient Quantity to make it into a Maſs for Pills; to which add Salt of Wormwood 2 Drams.

Theſe are directed to be taken every Morning, 6 or 7 at a Doſe; they gently purge, and both cleanſe away ſloughy Humours, which foul the Coats of the Stomach, and warm the Fibres, whereby Digeſtion is promoted. They are moſt convenient in advanced Age, and full cachectick Habits, which abound with cold viſcid Humours.

Pil. Pectorales.

℞ *Rad. Enul. Liquoritiæ pul.* ℥j.
Pulv. Croci ʒij.
Balſam. Sulph. aniſ. q. ſ. ut f. Pil. L
iij. *bis in die.*

Pectoral Pills.

Take Elicampane Root powder'd 1 Oun
Powder of Saffron 2 Drams, Balſam of S
phur aniſated a ſufficient Quantity to m
into a Maſs for Pills, of which 3 is a D
twice in a Day.

Theſe are given in ordinary Coughs
conſumptive Habits, and in all Diſtemp
of the Breaſt. They are both cordial
detergent, whereby they not only raiſe
Spirits, but cleanſe the Veſſels, prom
Expectoration, and eaſe the Breath.

Pil. Hyſterica.

℞ *Galbani colat.*
Aſſæ Fœtidæ ā ℥j.
Pulv. Caſtor. ʒj.
Tinct. Caſtor. q. ſ. ut f. Pil. mediocre

The Hyſterick Pills.

Take Galbanum, and Aſſa Fœtida, each Ounce, Powder of Caſtor 1 Dram, Tinre of Caſtor a ſufficient Quantity to make em into Pills.

Theſe are order'd in all Hyſteric Affeons, and ſometimes in Hypochondriacal ſes. They are given 5 at a Doſe, 2 or 3 nes in a Day.

Pil. Mercuriales.

℞ *Pil. e Duobus* ℥j.
Calomel. ℥ſs.
Syr. e Spin. Cervinâ q. ſ. ut f. maſſ. cui adde Ol. Saſſafr. gut. xx.

The Mercurial Pill.

Take *Pil. e Duobus* 1 Ounce, Calomelanos lf an Ounce, Syrup of Buckthorn a ſuffint Quantity to make them into a Maſs; which add Oyl of Saſſafras 20 Drops.

Theſe are powerfully purging, and are nerally given in Venereal Caſes, previous a Salivation, or a Courſe of Alteratives. they are made from each Dram into 10 lls, 5 *are enough* for a Doſe; and the

Patients are carefully attended, and kept warm during their Operation.

Pil. Polycreſt.

℞ *Aloes lucid.*
Scammon. opt. ā ℥iij.
Trochiſci alhand. ℥ij.
Croci opt. ℈ij.
Aloes & Scammon. ſeorſim pulv. & cùm Sp. Vini opt. in Maſſ. formentur; cui adde Troch. & Crocum ſubtiliſſime pulverizat.

Pills of many Virtues.

Take bright Aloes, and Scammony, each 3 Drams, Troches Alhandulæ 2 Drams, the beſt Saffron 2 Scruples; let the Aloes and Saffron be powder'd ſeparately, and made into a Maſs of the Conſiſtence of Pills, with the beſt Spirit of Wine; then mix the Troches and Saffron therewith.

Theſe are uſed as a common Purge in all Cachectick Habits; the Quantity of half a Dram made into 5 Pills, are generally directed for 1 Doſe.

Pil. Hydragogæ. D. *W.*

℞ *GGG.* ℥ij.
Senæ ℥ſs.
Crem. Tartari ℥ij.
Ol. Aniſi ℥jſs.
Syr. e Spin. Cer. q. ſ. f. Maſſ.

Dr. W——*'s Pills to purge Water.*

Take Gamboge 2 Ounces, Sena half an ınce, Cream of Tartar 2 Drams, Oyl of ıiſeed 1 Dram and half, Syrup of Buck-orn a ſufficient Quantity to make them :o a Maſs of a proper Conſiſtence for lls.

Theſe purge much, and carry off a great ıantity of watery Humours, where-ever ey are ordered, particularly for Dropſies, d ſuch Cachectick Habits as abound with oſe Humours. Their Doſe is from 1 Scru-e, to half a Dram, made into 4 or 5 Pills.

Pil. Ecphracticæ. D. *W.*

℞ *Specier. Hieræ noſtr.* ℥ij.
Sal. Martis ℥ſs.
Syr. e quinque Radicibus q. ſ. ut f. Pil. mediocres cap. vj. *vel* vij. *bis de die.*

Dr. W——'s Ecphractick Pills.

Take of Species Hiera Picra 2 Ounces, Salt of Steel half an Ounce, Syrup of the 5 opening Roots a ſufficient Quantity to make them into a Maſs to be formed into Pills of a moderate bigneſs, of which 6 or 7 are to be taken twice in a Day.

Theſe differ very little from the Pills under the ſame Title a little before mention'd, only the Quantity of Steel here is in ſomewhat a larger Proportion than in them. They are given to the ſame purpoſes as there obſerved.

Pil. ad Gonorrhœam. D. *W.*

℞ *Reſin. Jallap.* ℥ij.
Fol. Sennæ ʒj.
Gum Guajaci ā ʒj.
Sal. Tartari ʒij.
Balſam. Peruv. ℥ſs.
Terebinth. Venet. *q. ſ. ut f. maſſa. Doſis* ʒi *alter. mane.*

Dr. W——*'s Pills for a Gonorrhœa.*

Take Reſin of Jallap 2 Ounces, Leaves of Sena, Gum Guajacum, each 1 Ounce, Salt of Tartar 2 Drams, Balſam of *Peru* half an Ounce, *Venice*-Treacle a ſufficient Quantity to make it into a Maſs for Pills of an ordinary Bigneſs, 5 of which are to be taken for a Doſe every other Morning.

Theſe are ſtrongly purgative, and calculated particularly to ſcour the Genital Parts, and thoſe Paſſages as are principally infected by Venereal Taints; inſomuch that they will frequently cleanſe away a *Gonorrhœa*, without the Aſſiſtance of Mercury; tho' moſt commonly, a Bole with that is given over Night.

Pil. Ictérica. D. *W.*

℞ *Rad. Curcumæ*;
Chalyb. cum Sulph. ℔ ℔. ā ℥ij.
Cinerum Moſcov. ℥ſs.
Syr. e quinque Radicibus q. ſ. f. maſſa.
Doſis iij. *Pil. mediocres, bis in die.*

℞.

Dr. W——*'s Pills againſt the Jaundice.*

Take of Turmerick Root, Steel with Sulphur prepar'd, each 2 Ounces, Pot-aſhes half an Ounce, Syrup of the 5 opening Roots a ſufficient Quantity to make them into a due Conſiſtence for Pills; which if made of a middling bigneſs, 3 are order'd for a Doſe twice in a Day.

They are very opening, and therefore not only of ſervice in the Diſtemper here mentioned, but in all Caſes from Obſtructions; and particularly by Urine, they operate ſo powerfully as to carry all before them which lodges in thoſe Paſſages. The whole Habit likewiſe is cleanſed by them, and a Cachexy may be converted into a ſound, hale Conſtitution.

Potio Emetica.

℞ *Vin. Benedict.* ℥vj.
Aq. Pulegii ℥jſs.
Oxymel. Pectoralis ℥iij.
Miſce.

The Emetick Draught.

Take of *Vinum Benedictum* 6 Drams, Peniroyal-water 1 Ounce and half, and Pectoral Oxymel 3 Drams; mix together into a Draught.

This is the common Vomit, in moſt Caſes, where ſuch a Medicine is required.

Pil. Ruffi.

—— *ex Duobus.*

—— *Coch. Maj.*

—— *Fœtid.*

All made as in the *London Diſpenſatory.*

Pil. Cinnabar.

℞ *Cinnab. nativ.* ℥j.
Pulv. Antiſiphil. ℥ij.
—— *Caſtor.* ℥vj.
Mithridat. q. ſ. ut f. māſſa. Doſis a gr. x. *ad* xv. *vel* xx.

The

The Cinnabar Pills.

Take of native Cinnabar 1 Ounce, of the ſalivating Powder 2 Ounces, Powder of Caſtor 6 Drams, Mithridate a ſufficient Quantity to make into a Maſs of a due Conſiſtence for Pills. The Doſe from 10 Grains to 15 or 20 Grains, made into ſmall Pills.

This will work both upwards and downwards, and frequently ſalivates. It is ſo churliſh, as not to be given but to robuſt Conſtitutions, and in very obſtinate Caſes; and in very ſtubborn Ulcers it frequently promotes their Cure more than any other Mercurial whatſoever.

Pulvis Antiphiſil. ſeu Salivans.

℞ *Mercur. præcip. rub. ſubtiliſſime pulv.* ℔j. *inde vaſe terreo ſuper affunde Spiritum Vini rectif. ad eminentiam* ij. *digit. accend. Spiritum, continuo agitando, dum totus deflagaverit; repete opus ad tertiam vicem. Doſis* gr. x.

The Salivating Powder.

Take red Precipitate of Mercury 1 Pound, ut it into a glazed Veſſel, and pour upon rectify'd Spirit of Wine, ſo as to ſtand 2 ingers above it, which ſet on fire, and ir it about all the while it is burning. Let his Operation be repeated 3 times. The)oſe is 10 Grains.

The burning of the Precipitate in this nanner, breaks off the Points of thoſe Salts which join to the Mercury in its Preparation, nd makes it operate with a greater Mildneſs, it being hardly ſafe in inward Uſe, vithout ſuch Correction. And with this alivations are frequently raiſed by giving 10 Grains for a Doſe, with Conſerve of Roſes, or any thing of like Subſtance. This s the Powder mentioned in the foregoing Preſcription.

Pulvis Diureticus.

℞ *Sal. Nitri puriſ.* 3iij.
—— *Succin. volat.* 3j.
Teſt. ov. pulv. 3ij.
Sachar. albiſ. 3vj.
Miſce f. Pulvis Doſis 3j.

The

The Diuretick Powder.

Take fine Salt of Nitre 3 Ounces, v
tile Salt of Amber 1 Dram, Powder of E
ſhells 2 Drams, white Sugar 6 Dra
make into a Powder. Doſe 1 Dram.

This is a very forceable Diuretick,
operates with great Quickneſs, if give
a proper Quantity of Liquor, as White-w
Whey, or any ſuch Diluter. For wh
drank with it greatly helps its Operat
and makes it paſs with much more Saf
becauſe it is ſo ſharp, as otherwiſe to
the Membranes too much, which will ſo
times ſtraiten the Paſſages, and encreaſe
Obſtruction. A Quantity of Fluid like
much favours the Operation of ſtimula
Diureticks, not only as a Vehicle, but
cauſe it preſſes the faſter by its Wei
thro' the depending Paſſages. In all Su
cions of the Stone and Gravel, this is gi
once or twice in a Day, and continued
cording to the Importance of the Sympto
but in ſloughy and viſcid Obſtructions, i
the more particularly fitted to break th
For Oily Medicines are moſt ſuitable to
ny Concretions, which ſtop the Veſſels,
cauſe they relax and render ſlippery
Paſſages: but in Collections of viſcid M
ter, they only encreaſe the Stoppage,

hen it is theſe pungent attenuating Salts ıre fitteſt to cut their way through, by diriding the obſtructed Matter, and carrying t along with them.

Pulvis Sternutatorius.

℞ *Fol. Aſari ſiccat. & pulv. q. ſ.*

The Sneezing Powder.

Take Powder of dry'd Leaves of Aſarabacca, as much as is ſufficient.

This is the common Snuff uſed, and it greatly drains the Head of tough, viſcid Humours, which are apt to clog the fine Springs of Life there ſituated. It is chiefly given at Night going to Bed, and it will make the Noſe run very much the next Day; tho' at firſt taking, it does not irritate ſo much as the ordinary Tobacco-Snuffs, and will not ſo much as cauſe Sneezing.

Pulvis Æthiopicus. D. *C*——*de.*

℞ *Æthiop. Min. ſine igne prep.* ℔ſſ. *Antimoni Crudii* ℔j.

Miſce f. Pulvis ſubtiliſſimus, Doſis 3ſſ. *ter in die ſuperbibendo Hauſtum Decocti Liberantis.*

Dr. C——de's *Æthiopick Powder.*

Take Æthiops Mineral prepared without Fire half a Pound, Crude Antimony 1 Pound, make them into a fine Powder, to take half a Dram 3 times in a Day, with a Draught of the Decoction Liberans.

This is an admirable Remedy, and of great Efficacy in all cutaneous Foulneſſes; as Scabs, Itch, Leproſy, Herpes, and the like; and eſpecially if the Eruptions be anointed with the *Unguentum Pſoricum*, and the Patient be firſt bled, and purg'd with Calomel. This is Dr. *C——de's* Method of curing thoſe Diſeaſes in St. *B*——*w's* Hoſpital.

Pulvis Hæmorrhoidalis.

℞ *Flor. Sulph.* ℥j. *ad* ℥ij.
Cap. bis in die in Hauſtu Lactis Vaccini, vel Juſculi Avenacei. Vide Elect. Hæmorrhoidale.

The Powder for the Piles.

Take Flowers of Sulphur 1 Dram to 2 Drams, twice in a Day in a Draught of Milk, or Water-gruel. See the *Pile Electuary.*

This

This is a very eaſy and cheap Medicine, and very efficacious to the purpoſe ſignified by its Title.

Pulvis ad Vermes.

℞ *CCC.*
Scammonii opt. ā ℥j.
Calomel. ℥vj.
Reſin. Jallapi ℥ij.
Miſce f. Pulv.

The Worm-Powder.

Take burnt Hartſhorn, and Scammony, each 1 Ounce, Calomel 6 Drams, Reſin of Jallap 2 Drams; mix together into a Powder.

This purges very briskly, and is very effectual againſt Worms, eſpecially in young Perſons. It is beſt taken in the Pap of an Apple, or any other ſuch Subſtance, becauſe the Calomel will ſink in any thin Liquor. The Doſe from 10 Grains to half a Dram, in a Morning.

Pulv. Synanch.

℞ *Sal. Prunell.* ℥jſs.
Piper. alb. ℥iij.
Sachar. alb. ℥iv.
Miſce f. Pulvis, de quo tenet. in ore ager. & ſenſim deglutiat.

Powder for a ſore Throat.

Take Salt Prunella 1 Ounce and
White Pepper 3 Drams, White Su
Ounces; make into a Powder for the
ent to hold in his Mouth, and ſwallow
tly.

This is good in all Inflammations i
Throat, and more effectual than moſt
gles contrived for thoſe purpoſes.

Pulvis Aſtringens in Diarrhœam. D

℞ *Boli Armeni* ℔j.
Rhab. torrifact. ʒiij.
Miſce.

Dr. W——*'s Aſtringent Powder*

Take Armenian Bole 1 Pound, Rh
toaſted 3 Ounces; mix together for U

This is given in Looſeneſſes from
Dram to 1 Dram at a Doſe, in any
nient Liquor; to be taken as often
Symptoms require.

Pulvis Hæmopt. D. *W.*

℞ *Ungul. Equini ſiccat.* ℥iv.
Sachar. Roſat. ℥ij.
Miſce f. Pulv. Cap. ℥ſs. *ſextâ quâque horâ.*

Dr. W——*'s Powder againſt ſpitting Blood.*

Take of Horſe-Hoof dryed 4 Ounces, ſugar of Roſes 2 Ounces; make them together into a fine Powder, and take half a Dram every ſix Hours.

Pulv. Alexiterius.

℞ *Pul. e Chel.* 69.
Coral. rub.
Succini albi ā ℥viij.
Occul. 69 ℥iv.
Rad. Contrayerv.
Serpent. Virgin.
Angel. ā ℥ij.
Bol. Armen. ℥iv.
Miſce f. Pulv. cap. ſextâ quâque horâ.

The Alexiteral Powder.

Take Powder of Crabs Claws, red Coral, white Amber, each 8 Ounces, Crabs-Eyes 4 Ounces, Contrayerva Root, *Virginia* Snake Root, and Angelico Root, each 2 Ounces,

Bole-Armeniack 4 Ounces; mix into a Powder to take half a Dram every 6 Hours.

This is the common Preſcription in all Caſes attended with a Fever, and is continued till it raiſes a *Diaphoreſis*, or terminates the Diſtemper by any other critical Diſcharge. This is preferable to many Powders order'd for the ſame purpoſe, tho' not ſo coſtly.

Species Hiera Picra.

℞ *Rad. Aſari* ;
Galang.
Cinnamon.
Spic. nard.
Croci ;
Myrrhæ ā ℥vj.
Aloes opt. ℥xij.
Miſce f. Pulvis ſubtiliſſimus.

Hiera Picra.

Take Roots of Aſarabacca, and Galangal, of Cinnamon, Spicknard, Saffron, and Myrrh, each 6 Drams, fine Aloes 12 Ounces; make all into a fine Powder.

This is a much better Medicine than the Hiera Picra of the *College*, becauſe ſome Ingredients in that, are not at all to the main

Scope

Scope of the Medicine; and this is uſed to the ſame purpoſes.

Syrupus ex Allio.

℞ *Rad. Enul. Camp. inciſ.* ℥iv.
ZZ. ℥vj.
Rad. Glycyrrhizæ ℥vj.
Coq. in aq. fontan. ℔vj. *ad* ℔iv. *ſub finem, adde Lobul. Allii. pellic. denudat. & tenuiter inciſ.* ℥iv.
Sem. Aniſi contuſ. ℥jſs.
Colat. adde
Sacch. alb. ℥iv.
Coq. ad conſiſtentiam Syrupi.

Syrup of Garlick.

Take Elicampane Root ſliced 4 Ounces, Ginger 6 Drams, Liquorice Root 6 Ounces; boil them in 6 Pints of Water to 4 Pints, and when it is almoſt enough boiled, put in 4 Ounces of the Heads of Garlick pealed from the outer Skin, of Aniſeed bruiſed 1 Ounce and half; to the ſtrained Liquor put 4 Pound of Sugar, and boil up to the Conſiſtence of a Syrup.

This is order'd for all aſthmatick Patients, and ſuch as labour with any Oppreſſion upon the Breaſt, and Difficulty of Breathing. It is given a Spoonful at any time; but eſpeci-

eſpecially at Night going to Bed, becauſe the Warmth encourages its Operation, and helps to breath off a great deal through the Skin.

Syrupus Althæa.

Caryoph.

Cydonii.

de Meconio.

Pæon. Comp.

e v. Radicibus.

Balſam.

Chalybis.

Sambuci.

Roſ. Solutivi

All theſe are made as in the *London Diſpenſatory*.

Tinctura Diuretica, ſeu Cantharidum.

℞ *Pulv. Rhei opt.* ℥iij.
Gum. Guajaci ℥jſs.
—— *Lac.* ℥j.
Cantharid. contuſ. ℥ij.
Cochinel. ℥ſs.
Infunde calide ℔ *dies iv. in Spiritu Vini rectificati* ℔jſs. *colat. & filtretur ad uſum. Doſis* gut. xx. *ad* xl. *bis in die in Vino albo.*

The Diuretick Tincture.

Take of the beſt Rhubarb 3 Drams, Gum Guajacum 1 Dram and half, Gum Lac 1 Dram, Cantharides bruiſed 2 Drams, Cochineel half a Dram; infuſe them warm for 4 Days in 1 Pint and half of rectified Spirit of Wine; then ſtrain and filter it for Uſe. The Doſe from 20 to 40 Drops twice in a Day, in White-wine.

This is principally uſed where the urinary Paſſages are ſuſpected to be loaded with ſlimy and viſcid Humours. And to Females, in ſome Foulneſſes of the *Uterus*, it is ordered with good Succeſs. And it will breath away Obſtructions that no other Diuretick will take place in.

Tinctura Fracaſtorii.

℞ *Aq. Hordei* ℥xl
——*Cinnam. Hord.* ℥iv.
——*Mirabilis* ℥ij.
Confection. Fracaſt. ℥ſs.
Sacchar. alb. q. ſ.

Fracaſtorius's *Tincture.*

Take Barley-water 10 Ounces, Barley Cinnamon-water 4 Ounces, Aqua Mirabilis 2 Ounces, Diaſcordium half an Ounce, white Sugar a ſufficient Quantity.

This is calculated againſt all manner of Fluxes of the Belly, and is directed to be taken 4 or 5 Spoonfuls at a Doſe, after every Stool, or oftener, if the Symptoms are violent. All Malt-Liquors are likewiſe deny'd to thoſe Patients, till the Looſeneſs is perfectly ſtopped.

Tinctura Emmenagog. D. *M.*

℞ *Rad. Helleb. nigr. pul.* ℥iv.
Super-affunde Sp. Vini rectific. ℥xij. *ſtent in loco calido donec extrahatur Tinctura. Doſis* gt. xxx. *vel* xl. *in Vino albo.*

Dr. M——*'s Emmenagogick Tincture.*

Take Roots of black Hellebore 4 Ounces, nd pour upon it 12 Ounces of rectified Spi-it of Wine, which let ſtand in a warm lace, till the Tincture is well drawn. The oſe from 30 to 40 Drops.

This is a moſt powerful Deobſtruent in enſtrual Obſtructions, and will prevail any times where Chalybeats are try'd in ain. It is good likewiſe in many nervous iſorders; but particularly all thoſe which ome under the Appellation of Hypochon-riacal Affections; and even in an obſtinate *Hernia*, it is frequently found to have Suc-eſs. In Rheumatiſms likewiſe, and the out, it will often give great Relief, it be-ng eaſy, by proper ways of encouraging it, o raiſe by it a very great *Diaphoreſis*, ſo as o breath out much of the offending Hu-nours. When it is directed only for the reen-Sickneſs, it is ſometimes joyned with *Elixir Proprietatis*, in which manner it is likewiſe preſcribed againſt Worms; and, with an equal Quantity of *Mynſicht's Elixir of Vitriol* it is ſometimes compounded, both in the Green-Sickneſs and the Hypo-

Tincture

Tinctura Sacra.

℞ *Specier. Hiera* ʒij.
Cochinel. ʒſs.
Infunde ℔ *ſeptimanam in Vin. alb. gen.* ℔ij.

The Sacred Tincture.

Take 2 Ounces of Hiera Picra, and half a Dram of Cochineel, and infuſe them for a Week in 2 Pints of generous White-wine.

This has twice the Strength of that which is made in the Shops, and is much the better; for after the common way of making with half this Quantity of *Species*, it will hardly operate, unleſs given in ſo large a Doſe, as affects the Head from the Quantity of the Wine. It is given as a Stomachick, and frequently as a Preparatory to Alterative Courſes, becauſe it cleanſes the firſt Paſſages, and enables the Stomach the better to digeſt what it receives; which is as neceſſary to anſwer the Ends of a Medicine deſigned for an Alterative, as it is to that of common Food to make it into good Nouriſhment. This is preſcribed from 2 to 3 Ounces over Night, or early in the Morning, and repeated every other Day, for 3 or 4 *times*, if not oftner; becauſe its Operation *is too* mild to expect any Matters of Moment from one or two Doſes.

Tin-

Tinctura Cardiaca. D. *W.*

℞ *Rad. Tormentil. inciſ.* ℥iv.
Biſtort. ℥jſs.
Angelica ℥j.
Galang.
Cinnam.
Macis ā ℥iii.
Opii Thebaic.
Cochinel. ā ℥j.
Infund. in Sp. Vini ℔iv, ℔ *dies* xiv. *colat. adde Sach. alb.* ℥iv. *Miſce.*

Dr. W——*'s Cordial Tincture.*

Take Root of Tormentil ſliced 4 Ounces, Biſtort 1 Ounce and half, Angelico 1 Ounce, Gallangal, Cinnamon, and Mace, each 3 Drams, *Theban* Opium, and Cochineel, each 1 Dram; infuſe them in 4 Pints of Spirit of Wine 14 Days; then ſtrain, and add to the clear Liquor 6 Ounces of fine Sugar.

This is Cordial and Aſtringent, and given under any Dejection of Spirits from what Cauſe ſoever; as alſo where the Stomach and Bowels have loſt their due Tone, and occaſion Indigeſtion, Flatulencies, and Looſneſſes. It is generally given a Spoonful or two at a time, in any convenient Vehicle.

Tinctura Cardiaca & Stomachica.

℞ *Aq. Abſynth. maj. C.* ℥ij.
Specier. Diambræ;
Terræ Japonic. ā ℥j.
Digere in B. M.

The Cordial Stomachick Tincture.

Take the greater Compoſition of Wormwood Water 2 Ounces, *Species Diambræ*, and *Japan*-Earth, each 1 Dram; digeſt in a moderate Warmth.

This is pretty much of the ſame Virtue as the foregoing *Cordial Tincture* of Dr. *W*—, and is directed for the ſame purpoſes, eſpecially where the Stomach has loſt its Tone by frequent Debauches; for which purpoſe, if it be allowed in Spaw-water a due Quantity, it is much the more likely to ſucceed. The Doſe is from half a Spoonful, to a Spoonful.

Vinum

Vinum Scilliticum. D. *W.*

℞ *ZZ.*
Sem. Aniſi;
—— *Fœniculi dul. ā* ℥ſs.
Rad. Liquorit. ℥ij.
Scillar. ℔ ℔ ℥iv.
Cochinel. ℥j.
Vin. alb. iv.
Infunde Vaſe clauſo ℔ *Septimanam, & colat. cap.* ℥ij. *bis in die.*

Dr. W——*'s Squill-Wine.*

Take Ginger, Aniſeeds, and ſweet Fennel Seeds, each half an Ounce, Liquorice-Root 2 Ounces, Squills prepared 4 Ounces, Cochineel 1 Dram, White-wine 4 Pints; infuſe them together in a cloſe Veſſel for a Week; then ſtrain it, and take 2 Ounces twice in a Day.

This is a good Diuretick, and an admirable Medicine in all Diſorders from Obſtructions of the Breaſt; that there is hardly any one Thing of greater Efficacy in Aſthma's: and in Dropſies, it will do great Service, by inciding and breaking away by Urine, the pituitous and ſlimy Humours, which ſtuff the whole Habit.

Unguentum Emolliens.

℞ *Unguent. Althæa* ℥iv.
Ol. Terebinth. ℥j.
Miſce.

The Emollient Ointment.

Take Ointment of Marſh-mallows 4 Ounces, and Oyl of Turpentine 1 Ounce, whi mix together.

This is directed to be rubb'd in upon a bruiſed Part, or that is indurated by obſtr cted Humours; becauſe it attenuates a warms the ſtagnant Matter, and helps breath it out, either thro' the Pores of t Skin, or to be taken up again by the cir lating Blood, and diſcharged elſewhere.

Unguentum Tetrapharmacum.

℞ *Pici* Burgund. ℔ſs.
Cera flavæ ℔j.
Thuris ℥j.
Ol. Oliv. ℔j.
Miſce f. Unguent. S. A.

Ointment of Four Things.

Take *Burgundy* Pitch half a Pound, Yellow Wax 1 Pound, Frankinſence 1 Ounce, Oyl of Olives 1 Pint; melt them together into an Unguent.

This is uſed as a moderate Digeſtive.

Unguentum Nigrum.

℞ *Piſſalai* Indic. ℥iv.
Calophon. ℥vj.
Ceræ flavæ ℔ſs.
Ol. Lin. ℥iv.
Miſce.

The Black Ointment.

Take *Barbadoes* Tar 4 Ounces, Reſin 6 Ounces, Yellow Wax half a Pound, and Linſeed Oyl 4 Ounces; and melt into an Unguent.

This is alſo ordered as a Digeſtive.

Unguent. Epuloticum.

℞ *Pulv. Lapid. Calamin.*
Ceræ flavæ, ā ℥iv.
Ol. Olivar. ℥vj.
Miſce.

The Epulotick Ointment.

Take Calamine, and Yellow Wax, each 4 Ounces, Oyl of Olives 6 Ounces; and mix together into an Unguent.

This is cooling and drying, and order'd in a Herpes, and tetterous Ouzings of a ſharp *Serum* thro' the Skin. But in many Caſes, ſuch Things are to be uſed with great Caution, becauſe they endanger ſometimes Mortification, by cooling the Part too much.

Unguent. Viride.

℞ *Ærug. Æris* ℥ſs.
Unguent. Ægyptiaci ℥ij.
Unguent. Sambuc. ℥iv.
Colophoniæ ℥ij.
Ol. Spicæ ℥j.
Miſce S. A.

The Green Ointment.

Take Verdigreaſe half an Ounce, *Ung. Ægyptiacum* 2 Ounces, Ointment of Elder 4 Ounces, Reſin 6 Ounces, Oyl of Spike 1 Ounce; mix together into an Ointment.

This

This is a warm Digeſtive, and a good Dergent, and is uſed therefore to cleanſe d foul Ulcers, and wear away fungous leſh from green Wounds.

Unguent. Paralyticum.

℞ *Axungiæ Porcin.*
Ol. Lauri, ā ℥ij.
Ol. Vitrioli ℥j.
Miſce.

The Palſy Ointment.

Take Hogs-Lard, and Oyl of Bays, each Ounces, Oyl of Vitriol 1 Ounce; and x together into an Unguent.

This is very ſharp, inſomuch as ſomeies to veſicate the Part it is rubbed into. s uſed to paralytick and numbed Limbs, ich it helps to reſtore to their due Senſe d Feeling.

Unguentum Mercuriale.

℞ *Mercur. viv.* ℥iv.
Tereb. Ven. *opt.* ℥ij.
iſce exquiſitè dein. add. Axung. Porc. ℔j.
f. Ung.

The

The Mercurial Ointment.

Take Quickſilver 4 Ounces, the beſt *Venice*-Turpentine 2 Ounces; mix them well together, then adding 1 Pound of Hogs-Lard, make up into an Unguent.

This is uſed in St. *Thomas*'s Hoſpital, to raiſe a Salivation by Unction.

Unguentum Pſoricum.

℞ *Axungiæ Porcinæ* ℔iv.
Flor. Sulphuris;
Sulphur. Vivi, ā ℔ſs.
Miſce.

Ointment for the Itch.

Take Hogs-Lard 4 Pound, Flowers of Sulphur, and Sulphur Vive, each half a Pound; and mix all together into an Ointment.

This is the common Ointment in the Itch, and all cutaneous Foulneſſes. It hardly ever fails of anſwering its End, if continued long enough, by anointing every Night the Parts which break out, and wearing the *ſame* Linnen all the Time. Two or three *Weeks* is as little as can be depended upon; but

but it makes the Patient ſmell very ſtrong of it.

Unguent. Martiatum.

℞ *Fol. Rutæ* ;
——*Marjoran.*
——*Roriſmar.*
——*Thymi* ;
——*Tanacet:*
—— *Lauri, ā q. ſ.*
Concinde, & miſce, deinde
℞ *Axungiæ Porc.* ℔xij. *liquefactæ adde Herbas præſcriptas quantum infarcire potes coq. ad ſiccitatem ; tum fortiter cola, & adde Herbas recentes q. ſ. coq. iterum, & cola, & colat. adde*
Ol. Terebinth. ℔jſs.
Ceræ flavæ ℥xij.
Miſce S. A.

The Soldier's Ointment.

Take Rue, Marjoram, Roſemary, Thyme, Mint, Tancey, and Bays, each a ſufficient Quantity ; cut them ſmall, and mix together: then melt 10 Pound of Hogs-Lard, and put in as many as poſſible of thoſe Herbs, and boil till they become criſp ; then preſs them out hard, and to the ſtrained Ointment add freſh Herbs, and boil and *ſtrain as before* ; then put to it 1 Pound and

half

half of Oyl of Turpentine, and 12 Ounces of Yellow Wax; which melt together for an Ointment.

This pretty much differs from the Medicine under the ſame Title in the *College Diſpenſatory*, and is much preferable to it as a Digeſtive.

Unguent. Sambuci.

℞ *Fol. Virid. Sambuci*;
——*Semperviv.* ā Pij.
Cort. inter. Sambuci Pj.
Miſce & coq. quantum potes in Axungia Porc. ℔x. *ad ſiccitatem, deinde cola fortiter & repet. iterum cùm Herbis recentibus, colat. adde.*
Ceræ flavæ ℔x.
Miſce.

The Elder Ointment.

Take Green Elder Leaves, and Houſe-leek, each 2 Parts, and of the inward Bark of Elder 1 Part; mix them together, and boil as much as poſſible in 10 Pound of Hogs-lard to a criſpneſs; then preſs it out hard, and boil a freſher Quantity in the ſame Lard, and preſs out again; to the laſt putting 10 Pound of Yellow Wax.

This

This is a good Cooler, and directed in Inflammations, and eryſipelatous Tumours; but it is to be uſed with Caution, for the Reaſons given under the Epulotick Ointment.

Unguent. ad Lepram.

℞ *Unguenti Pſorici* ℔j.
Ol. Sulphuris ℥j.
Miſce.

The Leproſie Ointment.

Take of the Itch Ointment 1 Pound, and 1 Ounce of Oyl of Sulphur, and mix them together.

This is very ſharp, and will ſcour off thoſe ſordid Incruſtations, which deform the Skin in a Leproſie: but it is not to be depended upon for a Cure by it ſelf.

Unguent. Præcip. alb.

℞ *Ung. Pomat.* ℔j.
Præcip. alb. ℥ij.
Miſce.

The White Precipitate Ointment.

Take Pomatum 1 Pound, and White Precipitate 2 Ounces; and mix them together into an Ointment.

This is likewiſe directed for the Itch and Leproſie, and all ſuch obſtinate Deformities of the Skin, and chiefly to the more nice Patients; but it is hardly ſo certain as the common Itch Ointments, and is not ſo ſafe by much. It is ſometimes liable to raiſe a Salivation, where it is not expected.

F I N I S.